

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

LIBRAR

RECEIVED

1943 - 1944

★ JAN 26 1944

U. S. Department of Agriculture

PRICELIST**HARLAN P. KELSEY, Inc.****KELSEY-HIGHLANDS NURSERY****East Boxford, Massachusetts***Nurserymen, Horticulturists**Landscape Architects**Large Tree Moving***Telephone, Topsfield 71.****CONTENTS**

	Page
Coniferous Evergreens	3
Broadleaf Evergreens	9
Deciduous Trees and Shrubs	12
Vines, Climbers and Creepers	27
Hardy Herbaceous Perennials	28
Berry Bearing Plants To Attract Birds	35
Plants for Special Environments	36
Groundcover Plants	36
Horticultural and Landscape Service	38
Terms and Conditions of Sale	39
Index	40

Kelsey-Highlands Nursery is located at East Boxford, Massachusetts, 28 miles north of Boston. Other distances are Salem, 13 miles; Lawrence, 11 miles; Haverhill, 9 miles; Newburyport, 10 miles; Manchester, 13 miles; Ipswich, 9 miles; Lowell, 20 miles.

Visitors are always welcome




Main Office—Kelsey Highlands Nursery

Introductions of Harlan P. Kelsey

In over half a century devoted to the discovery, growing and dissemination of desirable ornamentals, Harlan P. Kelsey has introduced some of America's most outstanding garden treasures. One of the most famous of these is the Carolina Hemlock, (*Tsuga caroliniana*) of which the late Prof. Sargent wrote: "The handsomest conifer we can grow in New England." At Kelsey-Highlands Nursery you will find the largest supply of perfect nursery-grown specimens. Notable Harlan P. Kelsey introductions are

Carolina Hemlock
Kelsey Catawba Rhododendron
White Carolina Rhododendron
Allegany Sandmyrtle
Oconeebells (Shortia)
Mountain Silverbell
Kelsey Crabapple
Kelsey Pygmy Dogwood (Clon)
Southern Bushhoneysuckle
Kelsey Locust
Carolina Lily
Grays Lily
Rose Trillium
Korean Chrysanthemum
Korean Chrysanthemum HV. Ja
Pinkshell Azalea and others.

How to reach Kelsey-Highlands Nursery



Visitors Welcome

KELSEY'S HARDY PLANTS

Page 2

CONIFEROUS EVERGREENS

NOTE: Figures immediately after the names denote approximate heights reached at maturity **under cultivation.**

HV. or Hort. Var.—Horticultural Variety. (Clon)
X = Hybrid Variety.

		Each	10
ABIES — FIR			
concolor , WHITE FIR. 60'			
3-4 ft.	4.00	36.00	
5-6 ft.	9.00	81.00	
6-8 ft.	12.00	108.00	
10-12 ft.	25.00	225.00	
fraseri , FRASER BALSAM FIR. 25'			
3-4 ft.	3.50	31.50	
4-5 ft.	5.00	45.00	
6-8 ft.	10.00	90.00	
Heavy Specimens up to \$50.00			
fraseri prostrata , PROSTRATE FRASER B. FIR. 3'			
Handsome low spreading form. Kelsey Introduction.			
3-3 1/2 ft. spread	20.00		
homolepis , NIKKO FIR. 60'			
4-5 ft.	6.00	54.00	
5-6 ft.	8.00	72.00	
koreana , KOREAN FIR. 40'			
3-4 ft.	12.00		
lasiocarpa arizonica , CORKBARK FIR. 40'			
15-18 in.	2.00	18.00	
18-24 in.	3.00	27.00	
nordmanniana , NORDMANN FIR. 80'			
6-8 ft. extra heavy	25.00		
procera (nobilis), NOBLE FIR. 70'			
18-24 in.	3.00		
veitchi , VEITCH FIR. 60'			
2-3 ft.	2.50		
JUNIPERUS — JUNIPER, REDCEDAR			
chinensis , HV. PFITZER JUNIPER (pfitzeriana). 5'			
18-24 in. spread	3.25	29.25	
2-3 ft. spread	5.00	45.00	
chinensis sargentii , SARGENT CHINESE JUNIPER. 1'			
18-24 in. spread	3.25	29.25	
communis depressa ,			
OLDFIELD COMMON JUNIPER. 4'			
18-24 in. spread	2.00	18.00	
communis hibernica , IRISH JUNIPER. 12'			
2-3 ft.	2.00	18.00	
communis suecica , SWEDISH JUNIPER. 10'			
18-24 in.	1.50	13.50	
2-3 ft.	2.25	20.00	

JUNIPERUS, JUNIPER (Con.)

		Each	10
communis svecica , HV. ASHFORD JUNIPER.		7'	
2-3 ft.	2.00	18.00	
excelsa , HV. SPINY GREEK JUNIPER (stricta).	4'		
18-24 in.	2.50	22.50	
horizontalis , CREEPING JUNIPER.	1'		
15-18 in.	2.50	22.50	
horizontalis douglasii , WAUKEGAN CREEPING J.	1'		
18-24 in. spread	2.50	22.50	
horizontalis plumosa , ANDORRA CREEPING J.	18"		
15-18 in. spread	2.00	18.00	
18-24 in. spread	2.75	24.75	
sabina , SAVIN JUNIPER.	6'		
15-18 in. spread	2.25	20.25	
sabina , HV. TAMARIX SAVIN JUNIPER.	2'		
18-24 in. spread	2.50	22.50	
virginiana , EASTERN REDCEDAR.	40'		
4-5 ft.	4.00	36.00	
5-6 ft.	6.00	54.00	
7-8 ft.	10.00	90.00	
virginiana ,			
HV. FOUNTAIN REDCEDAR.	(tripartita).	5'	
18-24 in.	3.50	31.50	

PICEA — SPRUCE

abies (excelsa) , NORWAY SPRUCE.	80'		
6-8 ft.	8.00	72.00	
8-10 ft.	12.00	108.00	
10-12 ft.	18.00	162.00	
12-14 ft.	25.00	225.00	
asperata , DRAGON SPRUCE.	50'	A superb variety.	
18-24 in.	5.00	45.00	
2-3 ft.	7.50	67.50	
3-4 ft.	10.00	90.00	
engelmanni , ENGELMANN SPRUCE.	80'		
5-6 ft.	10.00		
8-10 ft.	20.00		
glauca , WHITE SPRUCE.	60'		
18-24 in.	1.50	13.50	
2-3 ft.	2.50	22.50	
5-6 ft.	6.00	54.00	
6-8 ft.	10.00	90.00	
8-10 ft.	15.00	135.00	
glauca albertiana ,			
HV. DWARF ALBERTA SPRUCE (conica).	6'		
9-12 in.	1.50	13.50	
jezoensis , YEDDO SPRUCE.	80'		
2-3 ft.	4.00	36.00	
3-4 ft.	6.00	54.00	
koyamai , KOYAMA SPRUCE.	40'		
4-5 ft.	5.00	45.00	
5-6 ft.	7.50	67.50	
likiangensis balfouriana , BALFOUR SPRUCE.	40'		
3-4 ft.	15.00		

PICEA, SPRUCE (Con.)

		Each	10
omorika, SERBIAN SPRUCE.	50'		
3-4 ft.		6.00	54.00
5-6 ft.		12.00	108.00
politia, TIGERTAIL SPRUCE.	60'		
18-24 in.		3.00	27.00
pungens, COLORADO SPRUCE.	80'		
2-3 ft.		2.50	22.50
3-4 ft.		3.50	31.50
4-5 ft.		4.50	40.50
6-8 ft.		10.00	90.00
pungens g'aeca, BLUE COLORADO SPRUCE	80'		
2-3 ft.		3.50	31.50
3-4 ft.		5.00	45.00
5-6 ft.		9.00	81.00
6-8 ft.		15.00	135.00
pungens, HV. KOSTER BLUE SPRUCE	40'		
3-4 ft.		7.50	67.50
4-5 ft.		10.50	94.50
Ask for prices on specimens up to 30 ft.			

PINUS — PINE

cembra, SWISS STONE PINE.	20'		
3-4 ft.		7.00	63.00
flexilis, LIMBER PINE.	30'		
6-8 ft.		10.00	
koraiensis, KOREAN PINE.	40'		
6-8 ft.		15.00	
mugo, SWISSMOUNTAIN PINE.	12'		
3-4 ft.		6.00	54.00
4-5 ft.		8.00	72.00
5-6 ft.		12.00	108.00
Specimens up to \$20.00			
mugo mughus, MUGHO SWISSMOUNTAIN PINE.	4'		
9-12 in. spread		1.50	13.50
18-24 in. spread		3.50	31.50
2-3 ft. spread		5.50	49.50
Specimens up to \$20.00			

nigra, AUSTRIAN PINE.	50'		
18-24 in.		1.75	15.75
6-8 ft.		10.00	
8-10 ft.		15.00	

peuce, BALKAN PINE.	30'		
18-24 in.		2.50	22.50
2-2½ ft.		3.50	31.50
2½-3 ft.		5.00	45.00

resinosa, RED PINE.	50'		
18-24 in.		1.75	15.75
2-3 ft.		2.50	22.50
3-4 ft.		3.50	31.50

strobus, EASTERN WHITE PINE	50'		
2-3 ft.		2.50	22.50
3-4 ft.		3.50	31.50
4-5 ft.		5.00	45.00

Larger up to \$75.00

PINUS, PINE (Con.)		Each	10
<i>strobos,</i>			
HV. COLUMNAR EASTERN WHITE PINE (fastigata)			
2-3 ft.	5.00		
<i>sylvestris</i> , SCOTCH PINE. 40'			
2-3 ft.	2.50	22.50	
3-4 ft.	3.50	31.50	
Prices of larger sizes on request			
<i>sylvestris rigensis</i> , RIGA SCOTCH PINE. 50'			
3-4 ft.	4.50	40.50	
4-5 ft.	6.00	54.00	
PSEUDOTSUGA taxifolia (douglasi) DOUGLAS FIR 50'			
4-5 ft.	5.00	45.00	
6-8 ft.	10.00	90.00	
10-12 ft.	20.00	180.00	
TAXUS — YEW			
<i>canadensis</i> , CANADA YEW. 3'			
15-18 in. spread	2.50	22.50	
<i>canadensis</i> , HV. DWARFHEDGE YEW (stricta) 1'			
15-18 in.	3.00	27.00	
<i>cuspidata</i> , JAPANESE YEW, upright form. 10'			
15-18 in.	2.50	22.50	
18-24 in.	3.25	29.25	
2-2½ ft.	4.50	40.50	
2½-3 ft.	6.00	54.00	
<i>cuspidata</i> , JAPANESE YEW, spreading form.			
15-18 in. spread	3.00	27.00	
18-24 in. spread	4.00	36.00	
2-2½ ft. spread	6.00	54.00	
<i>cuspidata</i> , HV. DWARF JAPANESE YEW (nana). 4'			
15-18 in.	4.00	36.00	
<i>media</i> , HV. HICKS YEW (hicksi). 8'			
18-24 in.	3.50	31.50	
THUJA — ARBORVITAE			
<i>occidentalis</i> , EASTERN ARBORVITAE. 40'			
One of our best evergreens. Fine for hedges and windbreaks. Stands shearing perfectly.			
2-3 ft.	2.25	20.25	
3-4 ft.	3.00	27.00	
4-5 ft.	4.00	36.00	
5-6 ft.	5.00	45.00	
6-8 ft.	7.50	67.50	
<i>occidentalis</i> , HV. QUEEN VICTORIA A. (alba). 18'			
2-3 ft.	3.00	27.00	
<i>occidentalis</i> , HV. PARSONS A. (compacta) 4'			
9-12 in.	1.25	11.25	
<i>occidentalis</i> ,			
HV. DOUGLAS PYRAMIDAL ARBORVITAE (douglasi). 12'			
2-3 ft.	2.75	24.75	
3-4 ft.	3.50	31.50	
<i>occidentalis</i> ,			
HV. TOMTHUMB EASTERN ARBORVITAE (globosa). 4'			
15-18 in.	1.75	15.75	

THUJA, ARBORVITAE (Con.)

***occidentalis*,**

HV. PYRAMIDAL EASTERN ARBORVITAE (pyramidalis). 15'		
2-3 ft.	2.50	22.50
3-4 ft.	3.50	31.50
4-5 ft.	5.00	45.00

<i>occidentalis</i>, HV. WARE EASTERN A. (wareana) 10'		
18-24 in.	2.00	18.00
2-2 1/2 ft.	2.75	24.75
4-5 ft.	5.00	45.00

Larger up to \$12.00

<i>plicata</i>, GIANT ARBORVITAE. 80'		
3-4 ft.	4.00	36.00

Hemlocks are a specialty at Kelsey-Highlands Nursery. We have thousands of fine specimens, in a wide range of sizes, both of the Canada Hemlock and our famous introduction, the Carolina Hemlock. As specimens in border planting or for fine hedges they are invaluable.

HV. stands for Horticultural Variety

TSUGA — HEMLOCK

***canadensis*, CANADA HEMLOCK. 40'**

2-3 ft.	3.00	27.00
3-4 ft.	4.00	36.00
4-5 ft.	5.75	51.75
5-6 ft.	7.50	67.50
6-7 ft.	10.00	90.00
7-8 ft.	14.00	126.00
8-10 ft.	20.00	180.00

***caroliniana*, CAROLINA HEMLOCK. 50'**

Dark, dense tufted foliage on sweeping pendulous branches. This "aristocrat" of conifers is even hardier than the Canada Hemlock and seems to thrive in locations where the latter becomes thin, yellow and unsightly. It is better in trying city atmospheres and near the shore. A Kelsey Introduction.

2-3 ft.	3.50	31.50
3-4 ft.	5.00	45.00
4-5 ft.	7.00	63.00
5-6 ft.	9.00	81.00
6-7 ft.	13.50	121.50
7-8 ft.	18.00	162.00
8-9 ft.	25.00	225.00
9-10 ft. heavy	35.00	
10-12 ft. heavy	45.00	
12-14 ft. heavy	60.00	
14-16 ft. heavy	80.00	
16-18 ft. heavy	110.00	

Extra Specimens up to \$150.00

BROADLEAF EVERGREENS

Andromeda, Kalmias, Leucothoe, Rhododendrons, etc.

Mass plantings of Rhododendrons, Mountainlaurel and Andromedas, with "filler" or "edging" plants, such as Leucothoe, Scotch Heather, Rose Daphne and Sand-myrtle, are very desirable and probably show these Broadleaf Evergreens at their best. Such ground covers as Bearberry, Canby Pachistima and Japanese Pachysandra carpet the shady places luxuriantly.

To successfully grow these beautiful Broadleaf Evergreens, see that the soil is peaty, acid and well drained. Use a permanent mulch of Oak or other hardwood leaves (except Maple). A northern exposure is desirable, otherwise overhead leafy shade is essential. Ferns are at home in the Rhododendron bed and edgings of them or of Violets, Dicentras and a host of beautiful low ground covers give variety and beauty. Azaleas and Berry-bearing Shrubs may be used freely in the planting with charming effects.

	Each	10	100
ANDROMEDA glaucophylla,			
	DOWNTY ANDROMEDA 1-2'		
9-12 in.	1.00	9.00	
12-15 in.	1.50	13.50	
ARCTOSTAPHYLOS uvaursi, BEARBERRY. 6"			
The best all around hardy evergreen groundcover.			
3-6 in. Pot Grown	.35	3.00	27.00
6-9 in. Pot Grown	.50	4.00	36.00
9-12 in. Pot Grown	.75	6.00	54.00
CALLUNA vulgaris, SCOTCH HEATHER 1-2'			
3-6 in. Pot Grown	.50	4.00	36.00
6-9 in. Pot Grown	.75	6.00	54.00
vulgaris alba, WHITE SCOTCH HEATHER 1-2'			
Hort.Var. of SCOTCH HEATHER			
ALPORT (alporti). Crimson.			
ARGENTEA. Pink.			
BRONZE (cuprea). Pink.			
COCCINEA. Deep Red.			
DOUBLE (plena). Pink.			
ERECT (erecta). White.			
GOLDLEAF (aurea)			
HAMMOND White.			
HIRSUTA. Pink.			
MOSS (nana) Dway Pink			
MULTIPLEX Double Pink			
SEARLE White.			
SILKY (pilosa). White.			
SPIKE (spicata)			
STIFF (rigida)			
TALL (elata). White.			
CHAMAEDAPHNE calyculata, LEATHERLEAF. 3'			
12-15 in.	1.50	13.50	
15-18 in.	2.00	18.00	
DAPHNE cneorum, ROSE DAPHNE. 1'			
6-9 in.	.75	6.75	
9-12 in.	1.00	9.00	
12-15 in.	1.50	13.50	

BROADLEAF EVERGREENS, (Con.)

		Each	10	100
EPIGAEA repens , TRAILING-ARBUTUS.		3"		
Strong Pot Grown	1.00	9.00		
ERICA carnea , SPRING HEATH.	1'			
3-6 in. Pot Grown	.50	4.50		
GALAX aphylla , GALAX.	10"			
Strong Plants	.50	4.50		
ILEX glabra , INKBERRY.	6'			
9-12 in.	1.25	11.25		
KALMIA				
angustifolia , LAMBKILL.	2'			
9-12 in.	.50	4.50		
latifolia , MOUNTAINLAUREL.	12'			
12-15 in.	1.75	15.75	140.00	
15-18 in.	2.25	20.25	180.00	
18-24 in.	3.00	27.00	243.00	
2-3 ft.	4.50	40.50		
LEIOPHYLLUM lyoni (buxifolium prostratum),				
ALLEGANY SANDMYRTLE.	6"			
Kelsey Introduction.				
4-6 in. spread	.75	6.75		
6-9 in. spread	1.00	9.00		
LEUCOTHOE catesbaei , DROOPING LEUCOTHOE.	4'			
12-18 in.	1.50	13.50		
18-24 in.	2.25	20.00		
2-3 ft.	3.50	31.50		
MITCHELLA repens , PARTRIDGEBERRY.	3"			
Pot Grown Plants	.75	6.75		
PACHISTIMA canbyi , CANBY PACHISTIMA.	8"			
3-6 in.	.50	4.00		
PACHYSANDRA terminalis ,				
	JAPANESE PACHYSANDRA.	8"		
Pot Grown Plants	.25	2.00	13.50	
PIERIS floribunda , MOUNTAIN ANDROMEDA.	6'			
15-18 in.	2.25	20.00		
18-24 in.	3.25	30.00		
2-2½ ft.	5.00	45.00		
japonica , JAPANESE ANDROMEDA.	6'			
15-18 in.	2.00	18.00		
RHODODENDRON				
carolinianum , CAROLINA RHODODENDRON.	8'			
15-18 in.	2.50	22.50		
18-24 in.	3.25	29.25		
2-3 ft.	5.00	45.00		
carolinianum album ,				
WHITE CAROLINA RHODODENDRON.	6'			
A delightful contrast to the pink species, with white				
fl. in May or June. Kelsey Introduction.				
18-24 in.	3.25	29.25		
2-3 ft.	5.00	45.00		
3-4 ft.	8.00	72.00		
4-5 ft.	14.00	126.00		
catawbiense , CATAWBA RHODODENDRON.	20'			
15-18 in. clumps	2.50	22.50		
18-24 in. clumps	3.50	31.50		
2-3 ft. clumps	5.00	45.00		
3-4 ft. clumps	8.00	72.00		

*Visitors are always welcome at
Kelsey-Highlands Nursery*

RHODODENDRON, (Con.)

	Each	10	100
catawbiense compactum, KELSEY CATAWBIENSE RHODODENDRON. 6'			
A distinct, compact growing variety discovered and introduced by Harlan P. Kelsey. Bright red-purple.			
15-18 in.	4.00	36.00	
laetivirens , WILSON RHODODENDRON. 5'			
9-12 in.	2.00	18.00	
12-15 in.	3.00	27.00	
maximum , ROSEBAY RHODODENDRON. 18'			
18-24 in. clumps	2.50	22.50	
2-3 ft. clumps	3.50	31.50	
3-4 ft. clumps	6.00	54.00	
4-5 ft. clumps	9.00	81.00	
micranthum , MANCHURIAN RHODODENDRON. 6'			
15-18 in.	2.50	22.50	
18-24 in.	3.50	31.50	
minus , PIEDMONT RHODODENDRON. 8'			
Resembles Carolina Rhododendron, but flowering several weeks later.			
2-3 ft.	4.00	36.00	
3-4 ft.	7.00	63.00	
mucronulatum , KOREAN RHODODENDRON. 6'			
15-18 in.	2.00	18.00	
18-24 in.	3.00	27.00	
2-3 ft.	4.00	36.00	
myrtifolium , MYRTLE RHODODENDRON. 3'			
9-12 in.	2.25	20.25	
smirnowi ,			
SMIRNOW RHODODENDRON HYBRID SEEDLINGS 8'			
2-3 ft.	6.00	54.00	
SHORTIA galacifolia , OCONEEBELLS. 6-9"			
A beautiful and rare low evergreen, with galax-shaped leaves and delicate white bell-shaped fl. in earliest Spring. Introduced by Harlan P. Kelsey.			
Clumps	.60	5.40	
VACCINIUM vitisidaea minus ,			
MOUNTAIN CRANBERRY. 4"			
2-4 in. Pot Grown	.75	6.75	
VINCA minor , COMMON PERIWINKLE. 6"			
Strong Plants	.30	2.50	16.00
HV. WHITE PERIWINKLE (alba). 6"			
Strong Plants	.40	3.00	25.00

Standardized Plant Names, 1942 Edition, is authority for all names used in this Catalog.

DECIDUOUS TREES AND SHRUBS

Plants marked x are hybrids (Clons)

ACANTHOPanax spinosus,	Each	10
(pentaphylla) FIVELEAF ARALIA.	8'	
Quick growing, excellent for screen planting.		
Dark green foliage held late in Fall.		
4-5 ft.	1.00	9.00
ACER — MAPLE		
ginnala , AMUR MAPLE. 12'		
4-5 ft.	1.50	13.50
5-6 ft.	2.00	18.00
negundo , BOXELDER. 40'		
6-8 ft.	1.50	13.50
palmatum , JAPANESE MAPLE. 20'		
3-4 ft. B&B	3.50	31.50
4-5 ft. B&B	4.50	40.50
5-6 ft. B&B	6.00	54.00
palmatum ,		
HV. BLOODLEAF JAPANESE MAPLE		
(atropurpureum). 12'		
2-3 ft. B&B	4.50	40.50
pennsylvanicum , STRIPED MAPLE. 20'		
5-6 ft.	2.50	22.50
platanooides , NORWAY MAPLE. 80'		
6-8 ft.	2.00	18.00
8-10 ft. 1-1 1/4 in. cal.	3.00	27.00
10-12 ft. 1 1/4-1 1/2 in. cal.	4.00	36.00
platanooides ,		
HV. SCHWEDLER MAPLE		
(schwedleri). 40'		
8-10 ft.	4.00	36.00
rubrum , RED MAPLE. 50'		
6-8 ft.	2.50	22.50
8-10 ft.	3.00	27.00
saccharinum , HV. SKINNERS SILVER MAPLE. 40'		
8-10 ft.	5.00	
saccharum , SUGAR MAPLE. 60'		
6-8 ft.	2.00	18.00
8-10 ft. 1-1 1/4 in. cal.	2.75	24.75
10-12 ft. 1 1/4-1 1/2 in. cal.	3.75	33.75
AESCULUS discolor koehnei ,		
SHRUB WOOLLY BUCKEYE. 4'		
18-24 in.	2.50	22.50
AMELANCHIER — SERVICEBERRY		
canadensis , SHADBLOW SERVICEBERRY. 15'		
2-3 ft.	1.00	9.00
laevis , ALLEGANY SERVICEBERRY. 20'		
4-5 ft.	2.50	22.50
oblongifolia , THICKET SERVICEBERRY. 12'		
2-3 ft.	1.00	9.00
stolonifera , RUNNING SERVICEBERRY. 4'		
18-24 in.	.75	6.75

		Each	10
AMORPHA fruticosa , INDIGO BUSH AMORPHA.		8'	
4-5 ft.	1.00	9.00	
ARONIA — CHOKEBERRY			
arbutifolia , RED CHOKEBERRY. 4'			
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	
melanocarpa , BLACK CHOKEBERRY. 6'			
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	
prunifolia			
(atropurpurea), PURPLE CHOKEBERRY. 6'			
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	

AZALEAS

We list only the native and most hardy exotic varieties. These acid-soil loving plants mass well with the broad-leaf evergreens and are distinct and beautiful additions to any planting. Though not evergreens they are closely related to the Rhododendrons and require similar soil conditions and care.

arborescens, SWEET AZALEA. 8'

15-18 in.	2.25	20.25
18-24 in.	3.00	27.00
2-3 ft. hvy. clumps	5.00	45.00
3-4 ft. hvy. clumps	7.50	67.50

calendulacea, FLAME AZALEA. 7'

The most regal of all the species, native or exotic, and a noble representative of our rich Carolina Mountain flora.

15-18 in.	2.25	20.25
18-24 in.	2.75	24.75
2-3 ft.	4.00	36.00
3-4 ft.	6.50	

canescens, PIEDMONT AZALEA. 6'. Deep pink.

18-24 in.	2.50	22.50
2-3 ft.	3.25	29.25

gandavensis, GHENT AZALEA. 5'

2-3 ft.	4.00	36.00
---------	------	-------

nudiflora, PINXTERBLOOM AZALEA. 4'. Clear pink.

15-18 in.	1.75	15.75
3-4 ft.	5.00	45.00

obtusa, HIRYU AZALEA. 3'. Orange-red to bright red.

4-6 in.	1.00	9.00
---------	------	------

obtusa kaempferi, TORCH AZALEA. 8'.

Bright orange-red.

12-15 in.	1.75	15.75
15-18 in.	2.25	20.25

pentaphylla, FIVELEAF AZALEA. 5'


18-24 in.	6.00	54.00
-----------	------	-------

poukhanensis, KOREAN AZALEA. 3'. Purple-lilac.

15-18 in.	3.00	27.00
-----------	------	-------

rosea, ROSEHELL AZALEA. 6'. Rose-colored.

15-18 in.	2.00	18.00
-----------	------	-------



AZALEA, (Con.)

		Each	10
rosmarinifolia (<i>indica alba</i>), SNOW AZALEA.	4'		
Large single snowy-white.			
6-9 in.	1.25	11.25	
schlippenbachii , ROYAL AZALEA.	8'		
15-18 in.	3.50	31.50	
18-24 in.	4.50	40.50	
2-2½ ft.	6.50	58.50	
2½-3 ft.	10.00	90.00	
3-4 ft.	13.50		
vaseyi , PINKSHELL AZALEA.	6'		
Kelsey Introduction.			
18-24 in.	3.00	27.00	
2-3 ft.	4.00	36.00	
3-4 ft.	7.00	63.00	
4-5 ft.	10.00	90.00	
5-6 ft.	16.00		
viscosa , SWAMP AZALEA.	10'		
18-24 in.	2.00	18.00	
BERBERIS — BARBERRY			
amurensis , AMUR BARBERRY.	8'		
12-18 in.	.60	5.40	
brachypoda , YELLOWSPIKE BARBERRY.	6'		
18-24 in.	.75	6.75	
chinensis , CAUCASIAN BARBERRY.	8'		
9-12 in.	.50	4.50	
emarginata , NOTCHED BARBERRY.	6'		
2-3 ft.	.75	6.75	
3-4 ft.	1.25	11.25	
thunbergi , JAPANESE BARBERRY.	8'		
15-18 in. (\$18.00 per 100)	.30	2.50	
18-24 in. (\$25.00 per 100)	.40	3.00	
atropurpurea , REDLEAF JAPANESE BARBERRY.	8'		
18-24 in.	.75	6.75	
maximowiczi , CORAL JAPANESE BARBERRY.	8'		
15-18 in.	.40	3.00	
18-24 in.	.60	5.00	
thunbergi ,			
HV. BOX JAPANESE BARBERRY (minor).	3'		
9-12 in.	.40	3.60	
BETULA — BIRCH			
nigra , RIVER BIRCH.	40'		
10-12 ft.	3.50	31.50	
papyrifera , PAPER BIRCH.	60'		
3-4 ft.	1.25	11.25	
4-5 ft.	2.00	18.00	
5-6 ft.	2.75	24.75	
6-8 ft.	3.50	31.50	
pendula (<i>alba</i>) EUROPEAN WHITE BIRCH.	60'		
6-8 ft.	2.25	20.25	
8-10 ft.	3.00	27.00	
HV. CUTLEAF EUR. W. B. (<i>pendula gracilis</i>).	40'		
6-8 ft.	3.00	27.00	

BUDDLEIA — BUTTERFLYBUSH

		Each	10
davidi, HV. ILE DE FRANCE BUTTERFLYBUSH.	6'		
1 yr.		.75	6.75
davidi, HV. ROYAL RED BUTTERFLYBUSH.	6'		
1 yr.		.75	6.75

CALLICARPA dichotoma (purpurea)

PURPLE BEAUTYBERRY. 4'
12-18 in. .60 5.40

CARPINUS — HORNBEEAM

betulus, EUROPEAN HORNBEEAM.	45'		
3-4 ft. B&B		4.00	36.00
4-5 ft. B&B		5.00	45.00
caroliniana, AMERICAN HORNBEEAM.	20'		
5-6 ft. B&B		4.50	40.50
6-8 ft. B&B		6.00	54.00
8-10 ft. B&B		9.00	81.00

CEPHALANTHUS occidentalis,

COMMON BUTTONBUSH. 6'
18-24 in. .40 3.60

CHAENOMELES — FLOWERINGQUINCE

lagenaria (japonica),	COMMON FLOWERINGQUINCE.	6'	
2-3 ft.		.75	6.75
lagenaria, HV. PYGMAEA FLOWERINGQUINCE.	2'		
15-18 in.		.75	6.75
18-24 in.		1.00	9.00

CHIONANTHUS virginicus, WHITE FRINGETREE. 15'

4-5 ft. 2.00 18.00

5-6 ft. 3.00 27.00

CLADRASTIS lutea, AMERICAN YELLOWWOOD. 40'

2-3 ft. B&B 2.00 18.00

3-4 ft. B&B 3.00 27.00

CLETHRRA — CLETHRRA

acuminata, CINNAMON CLETHRRA.	8'		
2-3 ft.		2.00	18.00
alnifolia, SUMMERSWEET CLETHRRA.	6'		
18-24 in.		.75	6.75
alnifolia rosea, PINK SUMMERSWEET CLETHRRA.	6'		
12-15 in.		2.00	18.00
tomentosa, WOOLLY CLETHRRA.	6' White.		
18-24 in.		.75	6.75

CORNUS — DOGWOOD

alba siberica, SIBERIAN DOGWOOD.	6'		
2-3 ft.		.50	4.50
3-4 ft.		.75	6.75
4-5 ft.		1.00	9.00
alternifolia, PAGODA DOGWOOD.	15'		
3-4 ft.		1.50	13.50
florida, FLOWERING DOGWOOD.	20'		
3-4 ft. B&B		2.25	20.25
4-5 ft. B&B		3.00	27.00
5-6 ft. B&B		4.50	40.50
6-8 ft. B&B		6.00	54.00

CORNUS, DOGWOOD (Con.)

		Each	10
florida,			
HV. REDFLOWERING DOGWOOD (rubra).	20'		
2-3 ft. B&B	3.00	27.00	
kousa, KOUSA DOGWOOD. 15'			
2-3 ft. B&B	2.00	18.00	
3-4 ft. B&B	3.00	27.00	
4-5 ft. B&B	5.00	45.00	
mas, CORNELIANCHERRY DOGWOOD. 20'			
2-3 ft.	1.00	9.00	
racemosa (paniculata), GRAY DOGWOOD. 6'			
18-24 in.	.60	5.40	
sanguinea, BLOODTWIG DOGWOOD. 6'			
18-24 in.	.40	3.60	
stolonifera, REDOSIER DOGWOOD. 6'			
2-3 ft.	.60	5.40	
stolonifera flaviramea,			
YELLOWTWIG REDOSIER DOGWOOD. 6'			
18-24 in.	.50	4.50	
stolonifera, HV. KELSEYDWARF DOGWOOD. 2'			
Kelsey Introduction.			
12-18 in.	1.00	9.00	
CORYLUS americana, AMERICAN FILBERT. 6'			
4-5 ft.	1.00	9.00	
5-6 ft.	1.50	13.50	
COTONEASTER			
acutifolia, PEKING COTONEASTER. 6'			
18-24 in.	.80	7.20	
adpressa praecox, EARLY COTONEASTER. 18"			
6-9 in. Pot Grown	.75	6.75	
dielsiana, DIELS COTONEASTER. 6'			
12-15 in. Pot Grown	1.00	9.00	
divaricata, SPREADING COTONEASTER. 6'			
12-15 in. Pot Grown	1.00	9.00	
horizontalis, ROCK COTONEASTER. 2'			
4-6 in. Pot Grown	.50	4.50	
6-9 in. Pot Grown	.75	6.75	
horizontalis perpusilla, GROUND COTONEASTER. 2'			
Red fruit.			
6-8 in. Pot Grown	.75	6.75	
horizontalis wilsoni, WILSON COTONEASTER. 2'			
Red fr.			
6-9 in. Pot Grown	.75	6.75	
microphylla, ROCKSPRAY COTONEASTER. 2'			
Bright red fr.			
6-9 in. Pot Grown	.75	6.75	
nitens, PINKBLUSH COTONEASTER. 4'			
Purplish-black fr.			
6-9 in. Pot Grown	.50	4.50	
zabeli, CHERRYBERRY COTONEASTER. 4'			
Bright red fr.			
12-18 in. Pot Grown	1.00		

CRATAEGUS, HAWTHORN

		Each	10
arnoldiana , ARNOLD HAWTHORN.	15'		
3-4 ft.	2.00	18.00	
4-5 ft.	2.50	22.50	
crusgalli , COCKSPUR HAWTHORN.	30'		
3-4 ft.	2.25	20.25	
4-5 ft.	3.00	27.00	
5-6 ft.	5.00	45.00	
monogyna , SINGLESEED HAWTHORN.	15'		
2-3 ft.	1.50	13.50	
3-4 ft.	2.00	18.00	
4-5 ft.	2.75	24.75	
oxyacantha , ENGLISH HAWTHORN.	8'		
3-4 ft.	2.00	18.00	
4-5 ft.	2.75	24.75	
oxyacantha , PAULS SCARLET HAWTHORNE.	12'		
4-5 ft.	3.00	27.00	
5-6 ft.	4.00	36.00	
peregrina , PEREGRINA HAWTHORN.	15'		
4-5 ft.	3.00	27.00	
phaenopyrum			
(cordata), WASHINGTON HAWTHORN.	20'		
3-4 ft.	2.25	20.25	
4-5 ft.	3.00	27.00	
5-6 ft.	5.00	45.00	
pinnatifida , CHINESE HAWTHORN.	15'		
Red edible fr.			
4-5 ft.	3.00		
prunifolia , PLUMLEAF HAWTHORN.	20'		
2-3 ft.	1.50	13.50	
3-4 ft.	2.00	18.00	
punctata , DOTTED HAWTHORN.	20'		
2-3 ft.	1.00	9.00	
3-4 ft.	1.50	13.50	
4-5 ft.	2.00	18.00	
CYTISUS scoparius , SCOTCH BROOM.	5'		
12-18 in.	.75	6.75	
DAPHNE mezereum , FEBRUARY DAPHNE.	3'		
18-24 in.	1.50	13.50	
DEUTZIA scabra , HV. PRIDE OF ROCHESTER.	12'		
3-4 ft.	.75	6.75	
DIERVILLA — BUSHHONEY SUCKLE			
lonicera (trifida), DWARF BUSHHONEY SUCKLE.	2'		
12-18 in.	.50	4.50	
sessilifolia , SOUTHERN BUSHHONEY SUCKLE.	3'		
18-24 in.	.75	6.75	
2-3 ft.	1.00	9.00	
ENKIANTHUS campanulatus ,			
REDVEIN ENKIANTHUS.	8'		
18-24 in.	1.50	13.50	
2-3 ft.	2.00	18.00	

EUONYMUS

		Each	10'
alatus , WINGED EUONYMUS.	10'		
2-3 ft.		.75	6.75
3-4 ft.		1.00	9.00
alatus ,	Hort.Var. DWARF WINGED EUONYMUS (compactus).	4'	
2-3 ft.		1.25	11.25
sachalinensis	(planipes), SPREADING EUONYMUS.	12'	
18-24 in.		2.25	20.25
yedoensis , YEDDO EUONYMUS.	10'		
2-3 ft.		.75	6.75

FAGUS — BEECH

		60'	
sylvatica , EUROPEAN BEECH.			
2-3 ft. B&B		2.00	18.00
3-4 ft. B&B		4.00	36.00
4-5 ft. B&B		6.00	54.00
sylvatica ,	HV. CUTLEAF EUROPEAN BEECH (laciniata).	60'	
5-6 ft. B&B		8.00	
sylvatica , HV. RIVERS BEECH (riversi).	60'		
5-6 ft. B&B		8.00	

FORSYTHIA

		10'	
intermedia , BORDER FORSYTHIA.			
3-4 ft.		.75	6.75
4-5 ft.		1.00	9.00
intermedia ,	HV. PRIMROSE FORSYTHIA (primulina).	8'	
2-3 ft.		.75	6.75
3-4 ft.		1.00	9.00
intermedia ,	HV. SHOWY BORDER FORSYTHIA (spectabilis).	6'	
2-3 ft.		.50	4.50
3-4 ft.		.75	6.75
4-5 ft.		1.00	9.00
ovata , EARLY FORSYTHIA.	6'		
2-3 ft.		.90	8.10
viridissima koreana ,	KOREAN GREENSTEM FORSYTHIA.	6'	
2-3 ft.		.50	4.50
3-4 ft.		.75	6.75

FOTHERGILLA monticola,

		ALABAMA FOTHERGILLA.	6'
2-3 ft. B&B		3.50	31.50
3-4 ft. B&B		5.00	45.00
GENISTA pilosa , SILKYLEAF WOADWAXEN.	2'		
18-24 in.		1.00	9.00

		60'
HALESIA monticola , MOUNTAIN SILVERBELL.		
Kelsey Introduction.		
3-4 ft.		2.00
4-5 ft.		4.00
5-6 ft.		6.00

HAMAMELIS — WITCHHAZEL		Each	10
vernalis , VERNAL WITCHHAZEL.	6'		
18-24 in.	.75	6.75	
2-3 ft.	1.00	9.00	
virginiana , COMMON WITCHHAZEL.	15'		
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	
HYDRANGEA			
arborescens , SMOOTH HYDRANGEA.	4'		
12-18 in.	.50	4.50	
arborescens grandiflora , SNOWHILL HYDRANGEA.	4'		
12-18 in.	.40	3.60	
paniculata , PANICLE HYDRANGEA.	8'		
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	
paniculata ,			
HV. PEEGEE HYDRANGEA (grandiflora).	6'		
18-24 in.	.50	4.50	
2-3 ft.	.75	6.75	
3-4 ft.	1.00	9.00	
quercifolia , OAKLEAF HYDRANGEA.	6'		
12-18 in.	.60	5.40	
HYPERICUM — ST. JOHNSWORT			
frondosum (aureum), GOLDEN ST. JOHNSWORT.	3'		
18-24 in.	.75	6.75	
densiflorum , DENSE ST. JOHNSWORT.	4'		
18-24 in.	.75	6.75	
2-3 ft.	1.00	9.00	
ILEX — HOLLY, WINTERBERRY			
montana			
(monticola), MOUNTAIN WINTERBERRY.	10'		
3-4 ft.	1.50	13.50	
4-5 ft.	2.50	22.50	
serrata , FINETOOTH HOLLY.	15'		
2-3 ft.	1.50	13.50	
verticillata , COMMON WINTERBERRY.	6'		
18-24 in.	.50	4.50	
2-3 ft.	.75	6.75	
INDIGOFERA kirilowi , KIRILOW INDIGO.	4'		
Strong 3 yr. plants	1.50	13.50	
KOLKWITZIA amabilis , BEAUTYBUSH.	6'		
18-24 in.	.75	6.75	
2-3 ft.	1.00	9.00	
LABURNUM alpinum , SCOTCH LABURNUM.	25'		
4-5 ft.	2.50		
watereri (vossi), WATERER LABURNUM.	15'		
4-5 ft.	3.00		
LARIX — LARCH			
decidua , EUROPEAN LARCH.	80'		
16-18 ft.	22.00	198.00	

LARIX, LARCH (Con.)

		Each	10
gmelini (dahurica), DAHURIAN LARCH.	45'		
5-6 ft.		3.00	
6-8 ft.		4.50	
8-10 ft.		7.50	
leptolepis , JAPANESE LARCH.	45'		
14-16 ft.		18.00	
18-20 ft.		30.00	

LEUCOTHOE

racemosa , SWEETBELLS LEUCOTHOE.	4'		
18-24 in.		.90	8.10
recurva , REDTWIG LEUCOTHOE.	5'		
12-18 in.		.75	6.75

LIGUSTRUM — PRIVET

amurense , AMUR PRIVET.	15'		
18-24 in. (\$12.00 per 100)		.20	1.60
2-3 ft. (\$16.00 per 100)		.25	2.00
ibolium , IBOLIUM PRIVET.	6'		
18-24 in. (\$12.00 per 100)		.20	1.60
2-3 ft. (\$16.00 per 100)		.25	2.00
vulgare , EUROPEAN PRIVET.	8'		
12-18 in.		.20	1.60

LONICERA — HONEYSUCKLE

korolkowii ,	HV. BROAD BLUELEAF HONEYSUCKLE		
	(floribunda).	6'	
12-18 in.		.75	6.75
maximowiczi sachalinensis ,	SAKHALIN HONEYSUCKLE.	12'	
2-3 ft.		1.00	9.00
morrowii , MORROW HONEYSUCKLE.	6'		
18-24 in.		.40	3.60
tatarica			
(alba), WHITE TATARIAN HONEYSUCKLE.	8'		
2-3 ft.		.50	4.50
tatarica			
(rosea), ROSY TATARIAN HONEYSUCKLE.	8'		
2-3 ft.		.50	4.50
tatarica			
(rubra), RED TATARIAN HONEYSUCKLE.	8'		
2-3 ft.		.50	4.50

MAGNOLIA

tripetala , UMBRELLA MAGNOLIA.	30'		
18-24 in.		2.00	18.00
2-3 ft.		3.00	27.00
virginiana (glaucia), SWEETBAY MAGNOLIA.	15'		
18-24 in.		2.00	18.00
2-3 ft.		3.00	

X MAHOBERBERIS neuberti. 5'

6-9 in.		1.00	9.00
---------	--	------	------

~~~~~

## **Malus, Flowering Crabapple**

The Flowering Crabapples have few rivals among gorgeous spring flowering trees and shrubs. At the Arnold Arboretum one of the most important events of the year is the blooming of the Crabapples, followed by the showy fruit in Autumn. Most varieties are of greatest value as feed in winter for Pheasants, Grouse and other birds, or for jellies and preserves.

The sizes we can supply follow the descriptions of each variety. Prices are for strong plants. For extra specimens price is made to cover increased value.

|     |     | Each | 10    |
|-----|-----|------|-------|
| 3-4 | ft. | 1.50 | 13.50 |
| 4-5 | ft. | 2.25 | 20.25 |
| 5-6 | ft. | 3.00 | 27.00 |
| 6-8 | ft. | 5.00 | 45.00 |

Extra Specimens \$6.00 up.

Varieties marked X are hybrids and will not come true from seed.

**X arnoldiana**, ARNOLD CRABAPPLE, 8'. Rose-colored. Sizes 3-4 ft., 4-5 ft., 5-6 ft.

**X atrosanguinea**, CARMINE CRABAPPLE, 15'. Carmine. Sizes 4-5 ft., 5-6 ft., 6-8 ft.

**baccata**, SIBERIAN CRABAPPLE, 30'. White. Green or reddish fr. Sizes 3-4 ft., 5-6 ft., 6-8 ft.

**baccata mandshurica**, MANCHURIAN CRABAPPLE, 15'. White, fragrant. Dark scarlet fr. Sizes 3-4 ft., 4-5 ft., 5-6 ft.

**X Dolga** CRABAPPLE, 15'. Red edible fr. Sizes 3-4 ft., 5-6 ft.

**floribunda**, JAPANESE FLOWERING CRABAPPLE, 15'. Bright pink buds followed by snowy white fl., small yellowish fr. Sizes 3-4 ft., 4-5 ft., 5-6 ft., 6-8 ft.

**floribunda**, HV. KELSEY CRABAPPLE. Offered after years of testing. Highly recommended as one of the most ornamental Flowering Crabapples. Bright pink buds opening to purest white flowers, and in greatest profusion. Will eventually reach 20 or 25 feet in height with equal spread. Sizes 3-4 ft. \$2.00 each, 4-5 ft. \$3.00 each, 5-6 ft. \$5.00 each.

**hupehensis** (theifera) TEA CRABAPPLE, 20'. Fragrant fl., rose-red in the bud and later almost white. Sizes 3-4 ft., 4-5 ft., 5-6 ft., 6-8 ft.

**X hopa**, REDFLOWERING CRABAPPLE, 15'. Entirely covered with rose-colored blossoms in May. Fr. red inside and out. Very hardy. Sizes 3-4 ft., 5-6 ft.

**ioensis**, PRAIRIE CRABAPPLE, 15'. Single pink. May. Native Western crabapple. Sizes 4-5 ft., 5-6 ft.

**ioensis**, HV. BECHTEL CRABAPPLE (plena), 15'. June. Double pink fl. Size 3-4 ft. \$2.00 each.

**micromalus**, MIDGET CRABAPPLE. Showy pink, 8'. Size 3-4 ft.

**X pumila**, REDVEIN CRABAPPLE (niedzwetzkyana), 20'. Red branches, leaves and fr. Sizes 3-4 ft., 4-5 ft., 5-6 ft.

**X purpurea**, ELEY FLOWERING CRABAPPLE (eleyi), 18'. Sizes 3-4 ft., 4-5 ft., 5-6 ft.

**robusta**, CHERRY CRABAPPLE, 30'. Sizes 3-4 ft., 4-5 ft., 5-6 ft.

**MALUS, FLOWERING CRABAPPLE (Con.)**

**sargentii**, SARGENT CRABAPPLE, 6'. Pure white with yellow anthers. Scarlet fr. Size 3-4 ft.

**X scheideckeri**, SCHEIDECKER CRABAPPLE, 15'. Rose-colored fl. Sizes 3-4 ft., 4-5 ft.

**toringoides**, CUTLEAF CRABAPPLE, 15'. White. Pear-shaped red fr. Sizes 4-5 ft. \$3.00 each, 5-6 ft. \$4.00 each.

**X zumi**, ZUMI CRABAPPLE, 15'. Pink in bud, becoming white, red fr. Sizes 5-6 ft., 6-8 ft.

**X zumi**, HV. BOBWHITE CRABAPPLE, 15'. Size 4-5 ft.

**X zumi**, HV. CALOCARPA CRABAPPLE, 10'. Pink and white fl., scarlet fr. Sizes 4-5 ft., 5-6 ft.

---

**MORUS alba tatarica, RUSSIAN MULBERRY. 30'**

|     |     | Each | 10 |
|-----|-----|------|----|
| 4-5 | ft. | 1.50 |    |
| 5-6 | ft. | 2.00 |    |

**MYRICA**

**gale**, SWEETGALE. 3'  
15-18 in. .75 6.75

**pennsylvanica**  
(carolinensis), NORTHERN BAYBERRY. 5'  
15-18 in. .75 6.75

**NYSSA sylvatica**, BLACK TUPELO. 20'  
3-4 ft. 2.00 18.00  
4-5 ft. 5.00

**OXYDENDRUM arboreum**, SOURWOOD. 20'  
Mass of white fl. in summer,  
foliage turning brilliant scarlet.

|     |     |      |       |
|-----|-----|------|-------|
| 3-4 | ft. | 2.00 | 18.00 |
| 4-5 | ft. | 3.00 | 27.00 |

**PHELLODENDRON sachalinense**,  
SAKHALIN CORKTREE. 35'  
5-6 ft. 2.50 22.50

**PHILADELPHUS** — MOCKORANGE  
**coronarius**, SWEET MOCKORANGE. 8'  
2-3 ft. .60 5.40

**grandiflorus**, BIG SCENTLESS MOCKORANGE. 8'  
2-3 ft. .60 5.40

**X virginicus**, VIRGINAL MOCKORANGE. 8'  
2-3 ft. .75 6.75

**PHOTINIA villosa**, ORIENTAL PHOTINIA. 15'  
2-3 ft. .75 6.75  
3-4 ft. 1.00 9.00

**POPULUS** — POPLAR

**X canadensis** eugenei, CAROLINA POPLAR. 60'  
6-8 ft. 1.00 9.00

**X nigra**, HV. LOMBARDY POPLAR, (italica). 40'  
6-8 ft. 1.50 13.50  
8-10 ft. 2.00 18.00

|                                                            |      |  |       |  |
|------------------------------------------------------------|------|--|-------|--|
| <b>PRUNUS</b> , PLUM, ALMOND, CHERRY                       |      |  |       |  |
| <i>americana</i> , AMERICAN PLUM. 10'                      | Each |  | 10    |  |
| 2-3 ft.                                                    | .60  |  | 5.40  |  |
| 3-4 ft.                                                    | .75  |  | 6.75  |  |
| <i>besseyi</i> , BESSEY CHERRY. 3'                         |      |  |       |  |
| 2-3 ft.                                                    | .60  |  | 5.40  |  |
| <b>X glandulosa</b> ,                                      |      |  |       |  |
| DOUBLEPINK FLOWERING ALMOND. 4'                            |      |  |       |  |
| 2-3 ft.                                                    | 1.00 |  | 9.00  |  |
| <b>glandulosa</b> ,                                        |      |  |       |  |
| DOUBLEWHITE FLOWERING ALMOND. 4'                           |      |  |       |  |
| 2-3 ft.                                                    | 1.00 |  | 9.00  |  |
| <b>maritima</b> , BEACH PLUM. 5'                           |      |  |       |  |
| 18-24 in.                                                  | .60  |  | 5.40  |  |
| 2-3 ft.                                                    | .75  |  | 6.75  |  |
| <i>sargentii</i> , SARGENT CHERRY. 60'                     |      |  |       |  |
| 6-8 ft.                                                    | 5.00 |  |       |  |
| <i>tomentosa</i> , MANCHU CHERRY. 10'                      |      |  |       |  |
| 3-4 ft.                                                    | .75  |  | 6.75  |  |
| <b>QUERCUS</b> — OAK                                       |      |  |       |  |
| <i>borealis</i> , NORTHERN RED OAK. 60'                    |      |  |       |  |
| 6-8 ft.                                                    | 4.00 |  | 36.00 |  |
| 8-10 ft.                                                   | 5.50 |  | 49.50 |  |
| <i>macrocarpa</i> , BUR OAK. 60'                           |      |  |       |  |
| 5-6 ft.                                                    | 4.00 |  | 36.00 |  |
| 6-8 ft.                                                    | 6.00 |  | 54.00 |  |
| <b>RHAMNUS</b> <i>cathartica</i> , COMMON BUCKTHORN. 18'   |      |  |       |  |
| 2-3 ft.                                                    | .75  |  | 6.75  |  |
| <b>RHUS</b> — SUMAC                                        |      |  |       |  |
| <i>aromatica</i> ( <i>canadensis</i> ), FRAGRANT SUMAC. 4' |      |  |       |  |
| 18-24 in.                                                  | .75  |  | 6.75  |  |
| <i>glabra</i> , SMOOTH SUMAC. 6'                           |      |  |       |  |
| 2-3 ft.                                                    | .60  |  | 5.40  |  |
| 3-4 ft.                                                    | .80  |  | 7.20  |  |
| <b>ROBINIA</b> — LOCUST                                    |      |  |       |  |
| <i>hispida</i> , ROSEACACIA LOCUST. 3'                     |      |  |       |  |
| 2-3 ft.                                                    | .75  |  | 6.75  |  |
| <i>kelseyi</i> , KELSEY LOCUST. 6'                         |      |  |       |  |
| 2-3 ft.                                                    | 1.00 |  | 9.00  |  |
| <b>ROSA</b> — ROSE                                         |      |  |       |  |
| <i>acicularis</i> , PRICKLY ROSE. 3'                       |      |  |       |  |
| 18-24 in.                                                  | .60  |  | 5.40  |  |
| <i>blanda</i> , MEADOW ROSE. 3'                            |      |  |       |  |
| 18-24 in.                                                  | .60  |  | 5.40  |  |
| <i>carolina</i> , CAROLINA ROSE. 4'                        |      |  |       |  |
| 18-24 in.                                                  | .60  |  | 5.40  |  |
| <i>hugonis</i> , FATHER HUGO ROSE. 5'                      |      |  |       |  |
| 2-3 ft.                                                    | .75  |  | 6.75  |  |
| <i>nitida</i> , SHINING ROSE. 3'                           |      |  |       |  |
| 18-24 in.                                                  | .60  |  | 5.40  |  |
| 2-3 ft.                                                    | .90  |  | 8.10  |  |

**ROSA, ROSE (Con.)**

|                                     |    | Each | 10   |
|-------------------------------------|----|------|------|
| <b>rugosa</b> , RUGOSA ROSE.        | 5' |      |      |
| 18-24 in.                           |    | .75  | 6.75 |
| 2-3 ft.                             |    | 1.00 | 9.00 |
| <b>setigera</b> , PRAIRIE ROSE.     | 6' |      |      |
| 2-3 ft.                             |    | .75  | 6.75 |
| <b>spinossissima</b> , SCOTCH ROSE. | 4' |      |      |
| 12-18 in.                           |    | .60  | 5.40 |

**SALIX — WILLOW**

|                                                     |     |      |       |
|-----------------------------------------------------|-----|------|-------|
| <b>alba</b> , WHITE WILLOW.                         | 60' |      |       |
| 5-6 ft.                                             |     | 1.50 | 13.50 |
| 6-8 ft.                                             |     | 2.00 | 18.00 |
| <b>babylonica</b> , BABYLON WEEPNG WILLOW.          | 50' |      |       |
| 5-6 ft.                                             |     | 2.00 | 18.00 |
| 6-8 ft.                                             |     | 2.50 | 22.50 |
| <b>caprea</b> , GOAT WILLOW.                        | 16' |      |       |
| 3-4 ft.                                             |     | .75  | 6.75  |
| <b>X purpurea</b> , HV. DWARF PURPLEOSIER W. (nana) | 2'  |      |       |
| 9-12 in.                                            |     | .75  | 6.75  |

**SAMBUCUS canadensis**, AMERICAN ELDER.

8' 3-4 ft. .75 6.75

**SOPHORA japonica**, JAPANESE PAGODATREE.

20' 2-3 ft. .75 6.75

**SORBUS — MOUNTAINASH****aucuparia**, EUROPEAN MOUNTAINASH.30' 4-5 ft. 1.25 11.25  
5-6 ft. 1.75 15.75**commixta**, KOREAN MOUNTAINASH.

18' 3-4 ft. 1.50

**mougeoti**, EDIBLE MOUNTAINASH.

50' 3-4 ft. 1.50

**SPIRAEA****X arguta**, GARLAND SPIREA.

5' 2-3 ft. .60 5.40

**X bumalda**, HV. ANTHONY WATERER SPIREA.

3' 15-18 in. .50 4.50

**henryi**, HENRY SPIREA.

5' 2-3 ft. .90 8.10

**thunbergi**, THUNBERG SPIREA.

5' 18-24 in. .60 5.40

**X vanhouttei**, VANHOUTTE SPIREA.

6' 2-3 ft. .60 5.40

**SYMPHORICARPOS****albus** (racemosus), COMMON SNOWBERRY.

3' 18-24 in. .40 3.60

**chenaulti**, CHENAULT CORALBERRY.

3' 18-24 in. .40 3.60

2-3 ft. .50 4.50

**orbiculatus**

(vulgaris), INDIANCURRENT CORALBERRY.

4' 18-24 in. .40 3.60

|                                                    |                |             |              |
|----------------------------------------------------|----------------|-------------|--------------|
| <b>SYRINGA, LILAC</b>                              |                | <b>Each</b> | <b>10</b>    |
| <b>amurensis japonica, JAPANESE TREE LILAC.</b>    |                |             | <b>25'</b>   |
| 4-5 ft.                                            | 1.75           | 15.75       |              |
| 5-6 ft.                                            | 2.50           | 22.50       |              |
| 6-8 ft.                                            | 3.50           | 31.50       |              |
| <b>oblata dilatata, KOREAN EARLY LILAC.</b>        |                | <b>7'</b>   |              |
| 2-3 ft.                                            | 1.00           | 9.00        |              |
| 3-4 ft.                                            | 1.50           | 13.50       |              |
| <b>persica, PERSIAN LILAC.</b>                     | <b>10'</b>     |             |              |
| 3-4 ft.                                            | 1.00           | 9.00        |              |
| <b>vulgaris, COMMON LILAC.</b>                     | <b>15'</b>     |             |              |
| 3-4 ft.                                            | 1.00           | 9.00        |              |
| <b>vulgaris alba, WHITE COMMON LILAC.</b>          | <b>15'</b>     |             |              |
| 3-4 ft.                                            | 1.25           | 11.25       |              |
| <b>HYBRID LILACS</b>                               |                |             |              |
| 2-3 ft.                                            | 1.50           | 13.50       |              |
| 3-4 ft.                                            | 2.00           | 18.00       |              |
| <b>BELLE DE NANCY.</b> Double. Satiny-pink.        |                |             | <b>Sizes</b> |
| 2-3 ft., 3-4 ft.                                   |                |             |              |
| <b>CHARLES THE TENTH.</b> Single, red-purple.      |                |             | Size         |
| 2-3 ft.                                            |                |             |              |
| <b>LUDWIG SPAETH.</b> Deep purplish red.           |                |             | Size 2-3 ft. |
| <b>MADAME CASIMIR PERIER.</b> Double, cream white. |                |             |              |
| Dwarf in growth.                                   |                |             | Size 2-3 ft. |
| <b>MARC MICHELI.</b> Double, lilac-purple, large.  |                |             | Sizes        |
| 2-3 ft., 3-4 ft.                                   |                |             |              |
| <b>MARIE LEGRAYE.</b> Single, white.               |                |             | Size 2-3 ft. |
| <b>MICHEL BUCHNER.</b> Double, lilac.              |                |             | Size 2-3 ft. |
| <b>PRES. GREVY.</b> Double, deep mauve-blue.       |                |             | Sizes        |
| 2-3 ft., 3-4 ft.                                   |                |             |              |
| <b>PRES. POINCARÉ.</b> Double. Violet.             |                |             | Size 2-3 ft. |
| <b>TILIA — LINDEN</b>                              |                |             |              |
| <b>cordata, LITTLEAF LINDEN.</b>                   | <b>60'</b>     |             |              |
| 5-6 ft.                                            | 1-1½ in. cal.  | 2.50        | 22.50        |
| 6-8 ft.                                            | 1½-2 in. cal.  | 3.50        | 31.50        |
| 8-10 ft.                                           | 2-2½ in. cal.  | 5.00        | 45.00        |
| 10-12 ft.                                          | 2½-3 in. cal.  | 6.50        | 58.50        |
| 12-14 ft.                                          | 3-4 in. cal.   | 9.00        |              |
| <b>platyphyllos,</b>                               |                |             |              |
| HV. PYRAMIDAL EUROPEAN LINDEN                      |                |             |              |
|                                                    | (pyramidalis). | <b>40'</b>  |              |
| 6-8 ft.                                            |                | 6.00        | 54.00        |
| <b>tomentosa, SILVER LINDEN.</b>                   | <b>80'</b>     |             |              |
| 4-5 ft.                                            | 1.75           | 15.75       |              |
| 5-6 ft.                                            | 2.50           | 22.50       |              |
| <b>ULMUS — ELM</b>                                 |                |             |              |
| <b>americana, AMERICAN ELM.</b>                    | <b>80'</b>     |             |              |
| 6-8 ft.                                            | 1.50           | 13.50       |              |
| 8-10 ft.                                           | 2.00           | 18.00       |              |
| 10-12 ft. 1½-1¾ in. cal.                           | 3.00           | 27.00       |              |
| <b>americana, HV. MOLINE AMERICAN ELM.</b>         | <b>60'</b>     |             |              |
| 6-8 ft.                                            | 1.50           | 13.50       |              |

**americana**, WASHINGTON ELM.

The late Jackson Dawson, noted Horticulturist, made grafts from the famous Cambridge Elm, under which George Washington took command of the Continental Army in 1775, thus saving for posterity true descendants of this historic tree, now destroyed. At the request of the founder of the Arnold Arboretum, the late

## WASHINGTON ELM (Con.)

Professor Charles Sprague Sargent, we built up a stock of sturdy trees from this unique and authentic source. A numbered certificate of authenticity and a permanent embossed metal marker is sent with each tree if desired.

|          |               | Each | 10 |
|----------|---------------|------|----|
| 4-5 ft.  | grafted trees | 3.00 |    |
| 5-6 ft.  | grafted trees | 4.00 |    |
| 6-8 ft.  | grafted trees | 6.00 |    |
| 8-10 ft. | grafted trees | 8.00 |    |

## VACCINIUM — BLUEBERRY

### *corymbosum*, Highbush Blueberry. 8'

|           |        |      |       |
|-----------|--------|------|-------|
| 18-24 in. | clumps | .75  | 6.75  |
| 2-3 ft.   | clumps | 1.25 | 11.25 |
| 3-4 ft.   | clumps | 2.00 | 18.00 |

### *pallidum*, Blueridge Blueberry. 4'

|           |  |      |       |
|-----------|--|------|-------|
| 18-24 in. |  | 1.00 | 9.00  |
| 2-3 ft.   |  | 1.50 | 13.50 |

## NAMED HYBRID BLUEBERRIES

### Adams, Brooks, Dunfee, Ralph x Rubel, Sam

|           |  |      |       |
|-----------|--|------|-------|
| 9-12 in.  |  | 1.00 | 9.00  |
| 12-15 in. |  | 1.50 | 13.50 |

## VIBURNUM

### *acerifolium*, Mapleleaf Viburnum. 4'

|           |  |     |      |
|-----------|--|-----|------|
| 18-24 in. |  | .75 | 6.75 |
|-----------|--|-----|------|

### *cassinoides*, Witherod Viburnum. 8'

|         |  |     |      |
|---------|--|-----|------|
| 2-3 ft. |  | .75 | 6.75 |
|---------|--|-----|------|

### *dentatum*, Arrowwood Viburnum. 6'

|         |  |     |      |
|---------|--|-----|------|
| 2-3 ft. |  | .50 | 4.50 |
| 3-4 ft. |  | .75 | 6.75 |

### *dilatatum*, Linden Viburnum. 6'

|           |  |      |      |
|-----------|--|------|------|
| 18-24 in. |  | .75  | 6.75 |
| 2-3 ft.   |  | 1.00 | 9.00 |

### *lantana*, Wayfaringtree Viburnum. 8'

|           |  |     |      |
|-----------|--|-----|------|
| 18-24 in. |  | .75 | 6.75 |
|-----------|--|-----|------|

### *lentago*, Nannyberry Viburnum. 8'

|         |  |      |      |
|---------|--|------|------|
| 2-3 ft. |  | .75  | 6.75 |
| 3-4 ft. |  | 1.00 | 9.00 |

### *opulus*,

### European Cranberrybush Viburnum. 8'

|           |  |     |      |
|-----------|--|-----|------|
| 18-24 in. |  | .75 | 6.75 |
|-----------|--|-----|------|

### *pubescens*, Downy Viburnum. 8'

|           |  |     |      |
|-----------|--|-----|------|
| 18-24 in. |  | .50 | 4.50 |
| 2-3 ft.   |  | .75 | 6.75 |

### *trilobum* (americanum),

### American Cranberrybush Viburnum. 8'

|         |  |     |      |
|---------|--|-----|------|
| 2-3 ft. |  | .60 | 5.40 |
| 3-4 ft. |  | .90 | 8.10 |

### *wrighti*, Wright Viburnum. 6'

|           |  |      |      |
|-----------|--|------|------|
| 15-18 in. |  | .75  | 6.75 |
| 2-3 ft.   |  | 1.00 | 9.00 |

## WEIGELA

### HV. EVA RATHKE Weigela. 4'

|         |  |     |      |
|---------|--|-----|------|
| 2-3 ft. |  | .75 | 6.75 |
|---------|--|-----|------|

### *florida* (rosea), Oldfashioned Weigela. 4'

May-June. Very showy.

|         |  |     |      |
|---------|--|-----|------|
| 2-3 ft. |  | .60 | 5.40 |
|---------|--|-----|------|

## XANTHORHIZA simplicissima

### (apiifolia), Yellowroot. 4'

|           |  |     |      |
|-----------|--|-----|------|
| 12-15 in. |  | .75 | 6.75 |
|-----------|--|-----|------|

# VINES, CLIMBERS AND CREEPERS

---

|                                                      |     | Each | 10    |
|------------------------------------------------------|-----|------|-------|
| <b>ACTINIDIA arguta</b> , BOWER ACTINIDIA.           | 30' |      |       |
| 2 yr. no. 1                                          |     | .75  | 6.50  |
| <b>AMPELOPSIS</b>                                    |     |      |       |
| <aconitifolia< a="">, MONKSHOODVINE.</aconitifolia<> | 30' |      |       |
| 2 yr. no. 1                                          |     | .75  | 6.50  |
| <b>brevipedunculata maximowiczi</b>                  |     |      |       |
| (heterophylla) PORCELAIN AMPELOPSIS.                 | 20' |      |       |
| 2 yr. no. 1                                          |     | .75  | 6.50  |
| <b>ARISTOLOCHIA durior</b>                           |     |      |       |
| (sipho) COMMON DUTCHMANPIPE.                         | 40' |      |       |
| 4 yr.                                                |     | 1.50 |       |
| <b>CELASTRUS</b> — BITTERSWEET                       |     |      |       |
| <b>orbiculata</b> , ORIENTAL BITTERSWEET.            | 30' |      |       |
| 2 yr. no. 1                                          |     | .50  | 4.00  |
| 3 yr. heavy                                          |     | .75  | 6.50  |
| <b>scandens</b> , AMERICAN BITTERSWEET.              | 30' |      |       |
| 2 yr. no. 1                                          |     | .50  | 4.00  |
| 3 yr. heavy                                          |     | .75  | 6.50  |
| <b>CLEMATIS</b>                                      |     |      |       |
| X <i>jackmani</i> , JACKMAN CLEMATIS.                | 8'  |      |       |
| 1.00                                                 |     |      | 9.00  |
| X <i>jackmani</i> , HV. CRIMSON STAR CLEMATIS.       | 8'  |      |       |
| 1.75                                                 |     |      | 15.00 |
| <i>paniculata</i> , SWEETAUTUMN CLEMATIS.            | 20' |      |       |
| 2 yr. no. 1                                          |     | .60  | 5.00  |
| <i>virginiana</i> , VIRGINSBOWER.                    | 15' |      |       |
| 2 yr. no. 1                                          |     | .60  | 5.00  |
| <b>EUONYMUS</b>                                      |     |      |       |
| <b>fortunei radicans</b> ,                           |     |      |       |
| COMMON WINTERCREEPER EUONYMUS.                       | 20' |      |       |
| .40                                                  |     |      | 3.00  |
| <b>fortunei</b> ,                                    |     |      |       |
| HV. GLOSSY WINTERCREEPER EUONYMUS                    |     |      |       |
| (carrierei).                                         | 15' |      |       |
| .40                                                  |     |      | 3.00  |
| <b>fortunei</b> ,                                    |     |      |       |
| HV. PURPLELEAF WINTERCREEPER EUONYMUS                |     |      |       |
| (coloratus).                                         | 15' |      |       |
| .40                                                  |     |      | 3.00  |
| <b>fortunei</b> ,                                    |     |      |       |
| HV. BABY WINTERCREEPER EUONYMUS                      |     |      |       |
| (minimus).                                           | 10' |      |       |
| .40                                                  |     |      | 3.00  |
| <b>fortunei</b> ,                                    |     |      |       |
| HV. BIGLEAF WINTERCREEPER EUONYMUS                   |     |      |       |
| (vegetus).                                           | 20' |      |       |
| .40                                                  |     |      | 3.00  |
| <b>HEDERA X helix</b> , HV. BALTIC IVY (baltica).    | 20' |      |       |
| .50                                                  |     |      | 4.00  |
| <b>HYDRANGEA petiolaris</b> , CLIMBING HYDRANGEA.    | 20' |      |       |
| 1.00                                                 |     |      | 8.50  |
| <b>LONICERA</b> — HONEYSUCKLE                        |     |      |       |
| X <i>heckrottii</i> , HV. GOLDFLAME HONEYSUCKLE.     | 12' |      |       |
| 1.00                                                 |     |      |       |
| japonica <i>halliana</i> ,                           |     |      |       |
| HALLS JAPANESE HONEYSUCKLE.                          | 15' |      |       |
| .50                                                  |     |      | 4.00  |

---

## VINES, CLIMBERS AND CREEPERS (Con.)

### PARTHENOCISSUS

|                                                       |      |      |  |
|-------------------------------------------------------|------|------|--|
| <i>quinquefolia</i> , (Ampelopsis), VIRGINIA CREEPER. | 50'  |      |  |
| Each                                                  | 10   |      |  |
| 2 yr. no. 1                                           | .50  | 4.00 |  |
| <i>quinquefolia engelmanni</i>                        |      |      |  |
| ENGELMANN VIRGINIA CREEPER.                           | 50'  |      |  |
|                                                       | .50  | 4.00 |  |
| <i>tricuspidata</i> (veitchi) JAPANESE CREEPER.       | 100' |      |  |
| 2 yr. no. 1                                           | .60  | 5.00 |  |

### ROSA, HV. CLIMBING ROSES

|                                                               |      |      |
|---------------------------------------------------------------|------|------|
| Potted Plants -- after April 15                               | 1.00 | 8.00 |
| AMERICAN PILLAR. Single brilliant crimson white center. Late. |      |      |
| CLIMBING AMERICAN BEAUTY. Double rose-pink.                   |      |      |
| DR. VAN FLEET. Pale pink.                                     |      |      |
| MARY WALLACE. Bright pink.                                    |      |      |
| PAULS SCARLET. Deep red-crimson.                              |      |      |
| PRIMROSE. Yellow.                                             |      |      |
| SILVER MOON. Long creamy buds, golden anthers.                |      |      |

### VITIS — GRAPE

|                                                       |     |                |      |
|-------------------------------------------------------|-----|----------------|------|
| <i>labrusca</i> , FOX GRAPE.                          | 50' | Strong Plants. |      |
|                                                       |     | .50            | 4.00 |
| <i>vulpina</i> ( <i>cordifolia</i> ) RIVERBANK GRAPE. | 50' |                |      |
| Strong Plants                                         |     | .50            | 4.00 |

### WISTARIA

|                                                |     |      |
|------------------------------------------------|-----|------|
| <i>sinensis</i> , CHINESE WISTARIA.            | 50' |      |
| 2-3 ft.                                        |     | 1.00 |
| <i>sinensis alba</i> , WHITE CHINESE WISTARIA. | 50' |      |
| 2-3 ft.                                        |     | 1.00 |

## HARDY HERBACEOUS PERENNIALS

In this list will be found a collection of hardy herbaceous perennials that will give a good succession of bloom from early Spring until late Autumn. Nearly all are of easy culture.

Prices of Herbaceous Perennials are \$.30 each, \$2.25 per 10, \$18.00 per 100 except as otherwise noted. 5 or more of a kind take the 10 rate. 25 or more the 100 rate.

### AJUGA

|                                           |    |
|-------------------------------------------|----|
| <i>genevensis</i> , GENEVA BUGLE.         | 6" |
| <i>reptans alba</i> , WHITE CARPET BUGLE. | 6" |

**ALTHAEA rosea**, HOLLYHOCK. 5'. Selected colors.  
Double Red, Double White, Double Pink, Double Yellow, Double Salmon.

**ALYSSUM saxatile compactum**, DWARF GOLDENTUFT. 1'

### AQUILEGIA

|                                          |        |
|------------------------------------------|--------|
| <i>alpina</i> , ALPINE COLUMBINE.        | 1'     |
| <i>canadensis</i> , AMERICAN COLUMBINE.  | 1'     |
| <i>oxysepala</i> , EARLY COLUMBINE.      | 2 1/2' |
| MRS. SCOTT ELLIOTTS Longspurred Hybrids. | 2'     |

### ARABIS

|                                              |     |
|----------------------------------------------|-----|
| <i>alpina</i> , HV. DOUBLE ALPINE ROCKCRESS. | 8". |
| .35 each, \$2.50 per 10.                     |     |
| <i>procurrens</i> .                          | 9"  |

## HARDY HERBACEOUS PERENNIALS, (Con.)

### ARMERIA

*montana*, MOUNTAIN THRIFT. 6". Deep rose.  
*pseudoarmeria*, PINKBALL THRIFT. 12". Red.

### ARTEMESIA

*lactiflora*, GHOSTPLANT WORMWOOD. 3'  
*albula*, SILVERKING SAGEBRUSH. 4'

### ASARUM

*canadense*, CANADA WILDGINGER. 9"  
*shuttleworthi*, MOTTLED WILDGINGER. 9". Ideal  
groundcover.

### ASTER, HARDY SPECIES

*alpinus*, ALPINE ASTER. 8"  
*linariifolius*, SAVORYLEAF ASTER. 12". Violet  
blue.  
*novaehangliae*, NEWENGLAND ASTER. 3'-6'. Deep  
purple. Aug.-Sept.  
*novaehangliae roseus*, ROSY NEWENGLAND ASTER.  
3'-6'. Aug.-Sept. Rose-colored.

**ASTER HARDY, HORT. VARS.** Fine collection of dwarf  
and tall varieties giving charming effects. Sept.  
and Oct.

ACME. Pale lavender. 3'

ALDERMAN VOKES. Distinctive salmon pink. 2½'.  
75¢ each, \$6.00 per 10.

AUTUMNQUEEN. Lilac. 2½'. 75¢ each, \$6.00  
per 10.

BLUEEYES. Blue. 3'.

CHARLES WILSON. Ruby Red. 3'. 75¢ each,  
\$6.00 per 10.

HARRINGTONS PINK. 3'. 50¢ each, \$4.00 per 10.

HEATHERGLOW. Pink. 3'.

HON. VICARY GIBBS. Pale lavender.

IVY LOGAN. Deep lavender. 3½'.

MT. EVEREST. Best white Aster. 1½'. 75¢ each,  
\$6.00 per 10.

MULBERRY. Wine-purple. 2½'. 75¢ each, \$6.00  
per 10.

SKYLANDSQUEEN. Lavender. 4'.

THORA PERRY. Pale lavender. 1½'.

WONDER OF STAFA (frikarti). Lavender. 50¢  
each, \$4.00 per 10.

### ASTER, DWARF HARDY HORT. VARS.

MARJORIE. Rose-pink.

NANCY. Pale flesh-pink.

RONALD. Rose-pink buds.

SNOWSPRITE. White.

### ASTILBE,

HV. AMERICA. 2½'. Lilac.

HV. AMETHYST. Deep violet-purple.

HV. GERBE D'ARGENT. Pure white.

*japonica*, JAPANESE ASTILBE. 18". White.

*thunbergi*, HV. VESTA. 3' mauve and lilac.

**BAPTISIA tinctoria**, YELLOW WILDINDIGO. 2'

**BERGENIA (saxifraga) cordifolia**,  
HEARTLEAF BERGENIA. 18"

**CALTHA palustris**, MARSHMARIGOLD. 1'

## CAMPANULA

*carpatica*, CARPATHIAN BELLFLOWER. 1'

*carpatica alba*,

WHITE CARPATHIAN BELLFLOWER. 1'

*rotundifolia*, BLUE HAREBELL. 1'

CHELONE *lyoni*, PINK TURTLEHEAD. 2'

## CHRYSANTHEMUM

*arcticum*, ARCTIC CHRYSANTHEMUM. 18"

*maximum*, PYRENEES CHRYSANTHEMUM.

*sibericum* (*coreanum*), KOREAN CHRYSANTHEMUM. 2-4 ft. Oct.-Dec.

This hardy species introduced by Harlan P. Kelsey. More recently it has been used as a parent for the beautiful Korean Hybrids. The original species with its profuse large white fl. and golden centers is still recognized as one of the most beautiful and effective garden fl. 35¢ each, \$3.00 per 10.

**CHRYSANTHEMUM, KOREAN HYBRID.** Kelsey Introduction.

HV. JANE KELSEY. Large single fl. in great profusion on long stems, lustrous deep pink, Oct.-Nov. Cut flowers last two weeks or more.

**CHRYSANTHEMUM, KOREAN HYBRIDS.** Introductions of Bristol Nurseries, Inc. Prices 30¢ each, \$2.25 per 10, except as otherwise noted.

APOLLO. Shades of bronze-red, old-gold and salmon.

CERES. Comb. of old gold, chamois-yellow and coppery bronze.

DAPHNE. Pink, golden stamens.

HEBE. Soft lavender-pink, golden yellow center.

INDIAN SUMMER. Vivid glowing orange. Lg. double fl.

INNOCENCE. Single dwarf. Pure white.

KING MIDAS. Large, fully double soft yellow fl. Late Sept.

LOUISE SCHLING. Semi-double. Salmon-red, changing to bronze-salmon.

PIGMY GOLD. Clear golden yellow button-like fl.

ROMANY. Carmine-red, with fine bronze tones.

SATURN. Orange and bronze, golden yellow center.

THE MOOR. Wine-red, fully double.

VENUS. Lilac-pink, rose-lavender shading.

VULCAN. Opens carmine-red, changing to bronze-crimson.

**CHRYSANTHEMUM, NEW HARDY FALL.** Hort. Vars.

DEAN KAY. Bright clear pink. 75¢ each.

TREASURE TROVE. Clear double yellow.

ORANGE GLOW. Brilliant burnt orange.

EARLY BRONZE. Rich bronze.

JEAN TREADWAY. Pink.

RUTH HATTON. Pompon, clear ivory white.

RUTH MARION HATTON. Bright canary yellow.

VIVID. Rich rosy-crimson.

**CHRYSANTHEMUM, CUSHION.** Popular dwarf Hort.

Vars. Not over 1' high, 2' or more across. Sept. to frost a glorious mass of double fl. 50¢ each, \$4.00 per 10.

AMELIA. (*Azaleatum*).

BRONZE CUSHION.

NEW RED.

PINK CUSHION.

YELLOW CUSHION.

WHITE CUSHION.

### CIMICIFUGA

*americana*, AMERICAN BUGBANE. 4'  
*foetida simplex*, KAMCHATKA BUGBANE. 3'. 75¢  
each, \$6.00 per 10.

*racemosa*, COHOSH BUGBANE. 4'

**CLINTONIA borealis**, YELLOW BEADLILY. 12"

**CONVALLARIA majalis**, LILYOFTHEVALLEY. 8"

### COREOPSIS

*grandiflora*, BIGFLOWER COREOPSIS. (1-2 ft.)

*rosea*, ROSE COREOPSIS. 1'

*tripteris*, ATLANTIC COREOPSIS. 2'

### DELPHINIUM — LARKSPUR

HV. GIANT PACIFIC HYBRIDS. 3'-5'. June-Sept.

Our seed taken from an unusual select strain. Shades  
of blue, double and semi-double.

HV. GIANT WHITE PACIFIC HYBRIDS. 3'-5'.

June-Sept. Huge spikes of pure white fl., double  
and semi-double.

Pot Grown \$1.25 each \$10.00 per 10

### DIANTHUS

*alpinus*, ALPINE PINK. 4". 40¢ each, \$3.50 per 10.

*arenarius*, HV. BEATRIX. 8"

*X arvernensis*, AUVERGNE P. 40¢ each, \$3.50 per  
10.

### DICENTRA

*eximia*, FRINGED BLEEDINGHEART. 1'

*spectabilis*, COMMON BLEEDINGHEART. 3'

### DORONICUM

*clusi*, DOWNTY LEOPARDBANE. 1'

### DRABA

*subamplexicaulis*, TURKESTAN DRABA. 6"

### ERIGERON

*speciosus*, OREGON FLEABANE. 1½'

### EUPATORIUM

*purpureum*, BLUESTEM JOEPYEWEED. 5'

*rugosum* (ageratoides) WHITE SNAKEROOT. 2'

### FERNS, HARDY.

Hardy ferns are very useful for massed plantings  
and groundcover plantings, particularly in shady locations  
and for edging shady walks. The smaller types  
are very desirable for the rock garden.

**ADIANTUM pedatum**, AMERICAN MAIDENHAIR. 40¢  
each, \$2.50 per 10.

**ASPLENIUM trichomanes**, MAIDENHAIR SPLEEN-  
WORT.

**ATHYRIUM filixfemina**, LADYFERN. 2'

**DENNSTEDTIA punctilobula**, HAYSCENTEDFERN  
1½'.

### DRYOPTERIS

*clintoniana*, CLINTON WOODFERN. 2'

*cristata*, CRESTED WOODFERN. 2'

*goldiana*, GOLDIE WOODFERN. 2'

*marginalis*, LEATHER WOODFERN. 1½'

*noveboracensis*, NEWYORK WOODFERN. 6"

*spinulosa*, TOOTHED WOODFERN. 1½'

*thelypteris*, MARSHFERN. 1½'

**ONOCLEA sensibilis**, SENSITIVEFERN. 2'

All Herbaceous Perennials are \$.30 each, \$2.25 per  
10, \$18.00 per 100 except as otherwise noted.

## **OSMUNDA**

- cinnamomea*, CINNAMONFERN. 3'. 40¢ each, \$2.50 per 10.  
*claytoniana*, INTERRUPTEDFERN. 3'. 40¢ each, \$2.50 per 10.  
*regalis*, ROYALFERN. 3'. 40¢ each, \$2.50 per 10.  
**POLYPODIUM vulgare**, COMMON POLYPODY. 6"  
**POLYSTICHUM acrostichoides**, CHRISTMASFERN. 1'  
**PTERETIS nodulosa**, OSTRICHFERN. 3'  
**PTERIDIUM aquilinum**, COMMON BRACKEN. 3'-4'  
**WOODWARDIA virginica**, VIRGINIA CHAINFERN. 1½'  
**FILIPENDULA rubra**, PRAIRIE MEADOWSWEET. 4'  
**GAILLARDIA**. HV. PORTOLA HYBRIDS. 1½'  
**GALAX aphylla**, GALAX. 10"  
**GYPSOPHILA viscosa**, HV. BRISTOLFAIRY. 3'  
**HELONIAS bullata**, SWAMPPINK. 1'. 50¢ each, \$4.50 per 10.

## **HEMEROCALLIS — DAYLILY**

- HV. HYPERION. 4'. \$1.00 each, \$8.00 per 10.  
HV. HYBRID SEEDLINGS. 2'-3'. Choice Daylilies, varying in color 50¢ each, \$4.00 per 10.  
*flava*, LEMON DAYLILY. 3'  
*fulva*, TAWNY DAYLILY. 3'  
**HEPATICA americana** (*triloba*) ROUNDLOBE HEPATICA. 6"

## **HEUCHERA**

- americana*, AMERICAN ALUMROOT. 10"  
*sanguinea*, HV. MARY ROSE. 1'. 60¢ each, \$5.50 per 10.  
*sanguinea*, HV. SNOWDROP. 1'. 60¢ each, \$5.50 per 10.  
*sanguinea*, HV. QUEENOFHEARTS. 1'. 50¢ each, \$4.50 per 10.

## **HOSTA**

- caerulea*, BLUE PLANTAINLILY. 1½'.  
*japonica* (*lancifolia*), JAPANESE PLANTAINLILY. 1½'.  
*japonica*, HV. WHITERIM JAPANESE PLANTAINLILY. 1½'.  
*plantaginea*, FRAGRANT PLANTAINLILY. 2'

## **HOUSTONIA**

- caerulea*, COMMON BLUETS. 4"  
*serpyllifolia*, CREEPING BLUETS. 4"

## **IRIS**

- cristata*, CRESTED IRIS. 4"  
*cristata alba*, WHITE CRESTED IRIS. 4"  
*kaempferi*, JAPANESE IRIS. 2'  
*kaempferi*, Hort. Var., JAPANESE IRIS. Late June 2'. 45¢ each, \$4.00 per 10.  
BLUEBIRD. Single. Lustrous blue.  
DOMINATOR. Single. Rich indigo-blue, light center.  
FASCINATION. Double mauve-pink, white veins.  
HAREQUIN. Single, vari-colored form.  
LILLA COX. Double, light blue, white veins.  
MANADZURA. Double, white, veined with blue.  
OTOMENEWOOD. Single, lustrous purple.  
PURPLE and GOLD. Double, violet-purple, gold throat.  
RED RIDING HOOD. Single, glowing amaranth, veined white.  
VENUS. Single white with golden throat.

**IRIS, (con.)**

*pseudacorus*, YELLOWFLAG IRIS. 3'  
*siberica*, SIBERIAN IRIS. 2'  
*siberica alba*, WHITE SIBERIAN IRIS. 2'  
*verna*, VERNAL IRIS. 4"  
*versicolor*, BLUEFLAG IRIS. 1½'  
**LIATRIS pycnostachya**, KANSAS GAYFEATHER. 3'  
**LILIUM**  
*canadense*, CANADA LILY. (4 ft.)  
*grayi*, GRAYS LILY. 2'. Kelsey Introduction. 50¢ each, \$4.00 per 10.  
*michauxi* (carolinianum) CAROLINA LILY. 3'. Kelsey Introduction. 50¢ each, \$4.00 per 10.  
*philadelphicum*, WOOD LILY. 1½'  
*regale*, REGAL LILY. 4'. 50¢ each, \$4.00 per 10.  
*superbum*, TURKSCAP LILY. 4'-8'.  
*tigrinum*, TIGER LILY. 2'-5'.  
**LOBELIA cardinalis**, CARDINALFLOWER. 2½'  
**LUPINUS**, HV. RUSSELL HYBRID LUPINS. 50¢ each, \$4.00 per 10.  
**LYSIMACHIA nummularia**, MONEYWORT. 4"  
**MONARDA didyma**, HV. MRS. PERRY. 2'  
**OENOTHERA glauca fraseri**, FRASER BLUELEAF SUNDROPS. 1'

### ORCHIDS, NATIVE

**CALOPOGON pulchellus**, GRASSPINK ORCHID. 9"  
**CYPRIPEDIUM**  
*acaule*, PINK LADYSLIPPER. 12"  
*parviflorum pubescens*, COMMON YELLOW LADY-SLIPPER. 1'  
*reginae* (spectabile) SHOWY LADYSLIPPER. 1½'  
**GOODYERA pubescens**, DOWNY RATTLESNAKE-PLANTAIN. 9"  
**ORCHIS spectabilis**, SHOWY ORCHIS. 4"

**PHLOX**, dwarf varieties.

*amoena*, AMOENA PHLOX. 6". Deep rose.  
*divaricata laphami*, LAPHAM SWEETWILLIAM PHLOX. 12". Clear blue.  
*ovata*, MOUNTAIN PHLOX. 6-12". Bright rosy-red.  
*subulata alba*, WHITE MOSS PHLOX. 4". White  
*subulata brittoni*, BRITTON MOSS PHLOX. 4". Star-like white fl.  
*subulata*, HV. ROCHESTER MOSS PHLOX. 4". Rosy-red.  
*subulata*, HV. VIVID MOSS PHLOX. 4". Pink

**PHLOX**, Hort. Var. 1'-3'

B. COMPTE. Velvety-red.  
 BEACON. Brilliant cherry-red.  
 BORDER GEM. Dark purple.  
 COUNT ZEPPELIN. White, carmine eye.  
 E. I. FARRINGTON. Salmon-pink, white eye.  
 LASSBURG (FRAU G. VON). Pure white.  
 LAVAGUE. Mauve, carmine eye.  
 MARY LOUISE. Large, finest white. 50¢ each, \$4.00 per 10.  
 MISS LINGARD. White, blush center.  
 MRS. JENKINS.  
 RIVERTON JEWEL. Salmon-pink, dark eye.  
 RUTH MAY. Soft pink. 40¢ each, \$3.00 per 10.  
 SALMON GLOW. Salmon-pink, white and lilac center.

## PHYSOSTEGIA

*virginiana*, VIRGINIA LIONSHEART. 3'  
*virginiana*, HV. GIANT VIRGINIA LIONSHEART  
(*gigantea*). 4'

*virginiana*, HV. RED VIR. LIONSHEART (*rubra*). 4'

**PLATYCODON grandiflorum**, BALLOONFLOWER.. 18"  
**SANGUINARIA**

*canadensis*, BLOODROOT. 8"

*canadensis*, HV. DOUBLE BLOODROOT (plena).  
\$1.50 each.

**SAXIFRAGA cordifolia** (See BERGENIA CORDIFOLIA)  
**SEDMUM**—STONECROP

*acre*, GOLDMOSS SEDUM. 4"

*aizoon*, AIZOON SEDUM. 6"

*album*, WHITE SEDUM. 8"

*kamtschaticum*, ORANGE SEDUM. 8"

*reflexum*, JENNY SEDUM. 6"

*sexangulare*, HEXAGON SEDUM. 2"

*spectabile*, SHOWY SEDUM. 18"

*stoloniferum*, RUNNING SEDUM. 4"

*stoloniferum coccineum*, SCARLET RUN. SEDUM. 4"

*telephium borderi*, BORDERS SEDUM. 6"

**SHORTIA galacifolia**, OCONEEBELLS. 6". 60¢ each,  
\$5.40 per 10.

**THERMOPSIS caroliniana**, CAROLINA THERMOPSIS. 4'  
**THYMUS vulgaris**, COMMON THYME. 8"

## TRADESCANTIA

*virginiana*, VIRGINIA SPIDERWORT. 2'

*virginiana*, HV. WHITE VIRGINIA SPIDERWORT.  
(*alba*). 2'

*virginiana*, HV. PINK VIRGINIA SPIDERWORT.  
(*rosea*). 2'. 40¢ each, \$3.50 per 10.

## TRILLIUM

*erectum*, PURPLE TRILLIUM. 1'

*grandiflorum*, SNOW TRILLIUM. 1'. Pure white.

*stylosum*, ROSE TRILLIUM. 1'. Rosy-pink. Kelsey  
Introduction.

*undulatum*, PAINTED TRILLIUM. 1'. White, purple  
spots at base.

## TROLLIUS

GLOBEFLOWER, HV. ELEANOR. 1½'. Double,  
clear yellow. 40¢ each, \$3.50 per 10.

HV. GOLDEN QUEEN. 2'. Bright orange. 40¢  
each, \$3.50 per 10.

## VERONICA

*latifolia*, HV. ROYAL BLUE SPEEDWELL. (*teuc-  
rium*). 1'

*latifolia*, HV. RUPESTRIS SPEEDWELL. 4"

*spicata*, SPIKE SPEEDWELL. 18". Violet-blue.

**VERONICASTRUM virginicum**, CULVERSOPHYSC. 3'.  
**VIOLA**

*cornuta*, HV. JERSEY GEM VIOLET. 9"

*pedata*, BIRDSFOOT VIOLET. 3".

*pedata lineariloba*, LILAC BIRDSFOOT VIOLET. 3"

**YUCCA filamentosa**, ADAMSNEEDLE YUCCA. 4'  
Strong clumps. 50¢ each, \$4.50 per 10.

All Herbaceous Perennials are \$.30 each, \$2.25 per  
10, \$18.00 per 100 except as otherwise noted.

## BERRY BEARING PLANTS

PLANTINGS FOR BIRDS. Birds add beauty and song to the gardens, and are of greatest value in curbing insect damage. Every garden should include plants that provide natural bird food and cover. We know what these plants are and will gladly help you plan their proper use.

|                                                              |                                             |
|--------------------------------------------------------------|---------------------------------------------|
| <i>Actinidia arguta</i> , Greenish-yellow                    | <i>Euonymus fortunei vegetus</i> , Scarlet  |
| <i>Amelanchier canadensis</i> , Crimson or purplish          | <i>Ilex glabra</i> , Black                  |
| <i>Amelanchier laevis</i> , Purple or nearly-black           | <i>Ilex montana</i> , Brilliant scarlet     |
| <i>Amelanchier oblongifolia</i> , Purple                     | <i>Ilex serrata</i> , Scarlet               |
| <i>Amelanchier stolonifera</i> , Purple                      | <i>Ilex verticillata</i> , Brilliant red    |
| <i>Arctostaphylos uvaursi</i> , Scarlet                      | <i>Juniperus virginiana</i> , Blue          |
| <i>Aronia arbutifolia</i> , Bright red                       | <i>Ligustrum amurense</i> , Blue-black      |
| <i>Aronia prunifolia</i> , Red-purple                        | <i>Ligustrum ibolium</i> , Black            |
| <i>Aronia melanocarpa</i> , Shining black                    | <i>Ligustrum vulgare</i> , Blue-Black       |
| <i>Berberis</i> , in variety, Red                            | <i>Lonicera morrowii</i> , Red              |
| <i>Celastrus orbiculata</i> Bright orange pod, scarlet seeds | <i>Lonicera tatarica</i> , in variety, red  |
| <i>Celastrus scandens</i> , Yellow and red                   | <i>Malus</i> , variety of colors            |
| <i>Cornus alba sibirica</i> , White                          | <i>Mitchella repens</i> , Scarlet           |
| <i>Cornus florida</i> , Scarlet                              | <i>Mitchella pennsylvanica</i> , White      |
| <i>Cornus kousa</i> , Pinkish                                | <i>Nyssa sylvatica</i> , Bluish-black       |
| <i>Cornus racemosa</i> , White on red pedicels               | <i>Phellodendron</i> , Black                |
| <i>Cornus stolonifera</i> , White                            | <i>Photinia villosa</i> , Bright red        |
| <i>Cotoneaster acutifolia</i> , Black                        | <i>Prunus americana</i> , Red               |
| <i>Cotoneaster dielsiana</i> , Coral-red                     | <i>Prunus besseyi</i> , Purple-black        |
| <i>Cotoneaster divaricata</i> , Bright red                   | <i>Prunus maritima</i> , Dull purple        |
| <i>Cotoneaster horizontalis</i> , Red                        | <i>Prunus sargentii</i> , Black             |
| <i>Crataegus arnoldiana</i> , Bright crimson                 | <i>Prunus tomentosa</i> , Scarlet           |
| <i>Crataegus crusgalli</i> , Bright red                      | <i>Rhamnus cathartica</i> , Black           |
| <i>Crataegus oxyacantha</i> Pauls Scarlet red                | <i>Rosa</i> , in variety, many colors       |
| <i>Crataegus peregrina</i> , Dull purple                     | <i>Sambucus canadensis</i> , Purple-black   |
| <i>Crataegus phaeopyrum</i> , Bright red                     | <i>Sorbus aucuparia</i> , Brilliant red     |
| <i>Crataegus prunifolia</i> , Scarlet                        | <i>Sorbus commixta</i> , Bright red         |
| <i>Crataegus punctata</i> , Dull red                         | <i>Symphoricarpos albus</i> , White         |
| <i>Euonymus alatus</i> , Red                                 | <i>Symphoricarpos orbiculatus</i> , Coral   |
| <i>Euonymus sachalinensis</i> , Red                          | <i>Vaccinium corymbosum</i> , Blue          |
|                                                              | <i>Viburnum acerifolium</i> , Blue-black    |
|                                                              | <i>Viburnum cassinooides</i> , Pink to blue |
|                                                              | <i>Viburnum dentatum</i> , Blue             |
|                                                              | <i>Viburnum opulus</i> , Red                |
|                                                              | <i>Viburnum pubescens</i> , Blue-black      |
|                                                              | <i>Viburnum trilobum</i> , Bright scarlet   |
|                                                              | <i>Viburnum wrighti</i> , Brilliant red     |

# LIST OF PLANTS FOR SPECIAL ENVIRONMENTS

## PLANTS SUITABLE FOR ROCK GARDENS

EVERY Rock Garden has problems of its own. No list of this nature can in any way be complete—it can merely suggest a few of the varieties that are being successfully used in the finest American Rock Gardens. Herbaceous perennials are not included, as use of the various kinds depends on the type and size of the rock garden. We will gladly make recommendations of perennials to use for given types of rock garden.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| <i>Aesculus discolor koehnei</i>                   | <i>Juniperus sabina</i>                                       |
| <i>Amelanchier stolonifera</i>                     | <i>Juniperus sabina HV. Tamarix</i>                           |
| <i>Floweringquince</i>                             | <i>Savin Juniper</i>                                          |
| <i>Arctostaphylos uvaursi</i>                      | <i>Leiophyllum lyoni</i>                                      |
| <i>Azalea pentaphylla</i>                          | <i>Pachistima canbyi</i>                                      |
| <i>Azalea poukhanensis</i>                         | <i>Picea, HV. Dwarf Alberta</i>                               |
| <i>Calluna, in variety</i>                         | <i>Spruce</i>                                                 |
| <i>Chaenomeles lagenaria HV.</i><br><i>pygmaea</i> | <i>Pieris floribunda</i>                                      |
| <i>Cotoneaster horizontalis</i>                    | <i>Pieris japonica</i>                                        |
| <i>Cotoneaster microphylla</i>                     | <i>Pinus mugo mughus</i>                                      |
| <i>Cotoneaster adpressa praecox</i>                | <i>Rhododendron catawbiense</i><br><i>compactum</i>           |
| <i>Daphne cneorum</i>                              | <i>Rhododendron laetivirens</i>                               |
| <i>Daphne mezereum</i>                             | <i>Rhododendron mucronulatum</i>                              |
| <i>Dicentra eximia</i>                             | <i>Taxus canadensis</i>                                       |
| <i>Epigaea repens</i>                              | <i>Taxus cuspidata (upright form)</i>                         |
| <i>Erica carnea</i>                                | <i>Taxus cuspidata nana</i>                                   |
| <i>Euonymus fortunei radicans</i>                  | <i>Taxus media HV. Hicks Yew</i>                              |
| <i>Forsythia ovata</i>                             | <i>Thuja occidentalis HV.</i><br><i>Pyramidal Eastern A.</i>  |
| <i>Juniperus chinensis sargentii</i>               | <i>Thuja occidentalis HV. Tom-</i><br><i>thumb Eastern A.</i> |
| <i>Juniperus communis depressa</i>                 |                                                               |
| <i>Juniperus communis saxatilis</i>                | <i>Vaccinium vitisidaea minus</i>                             |
| <i>Juniperus horizontalis</i>                      |                                                               |
| <i>Juniperus horizontalis plumosa</i>              |                                                               |

## GROUND-COVER PLANTS

GROUND-COVERS are just what their name implies—they cover the ground. Some spread by sending out trailers that take root, some have roots that spread and send up new top growth, and others merely grow more or less procumbent, spreading out as they enlarge to cover a greater area of ground each year. Many, such as the Rose Daphne and the Heathers, have beautiful flowers. The Evergreens and Broadleaf Evergreens carpet the ground with green throughout the year.

May we help you with your selection of a ground cover that will suit your particular location and conditions.

|                                      |                                       |
|--------------------------------------|---------------------------------------|
| <i>Ajuga genevensis</i>              | <i>Hosta caerulea</i>                 |
| <i>Ajuga reptans alba</i>            | <i>Hosta japonica</i>                 |
| <i>Alyssum saxatile compactum</i>    | <i>Juniperus chinensis sargentii</i>  |
| <i>Arctostaphylos uvaursi</i>        | <i>Juniperus communis depressa</i>    |
| <i>Asarum shuttleworthii</i>         | <i>Juniperus horizontalis plumosa</i> |
| <i>Calluna, in variety</i>           | <i>Juniperus sabina HV. Tamarix</i>   |
| <i>Celastrus orbiculata punctata</i> | <i>Savin Juniper</i>                  |
| <i>Celastrus scandens</i>            | <i>Lonicera Japonica halaliana</i>    |
| <i>Chrysanthemum Sibericum</i>       | <i>Lysimachia nummularia</i>          |
| <i>Convallaria majalis</i>           | <i>Pachistima canbyi</i>              |
| <i>Cotoneaster horizontalis</i>      | <i>Pachysandra terminalis</i>         |
| <i>Daphne cneorum</i>                | <i>Parthenocissus tricuspidata</i>    |
| <i>Diervilla lonicera</i>            | <i>Vinca minor</i>                    |
| <i>Erica carnea</i>                  | <i>Shortia galacifolia</i>            |
| <i>Euonymus fortunei radicans</i>    | <i>Phlox subulata</i>                 |
| <i>Ferns, in variety</i>             | <i>Vinca minor HV. White</i>          |
| <i>Galax aphylla</i>                 | <i>Periwinkle</i>                     |
|                                      | <i>Xanthorhiza apifolia</i>           |

## PLANTS FOR SEASHORE CONDITIONS

IN PLANTING near the shore it is advisable to select plants that will withstand the attacks of ocean winds and salt spray. Only comparatively resistant kinds are listed here. Many others will do well with slight protection.

|                                      |                                       |
|--------------------------------------|---------------------------------------|
| <i>Abies concolor</i>                | <i>Juniperus chinensis</i> HV.        |
| <i>Acer rubrum</i>                   | <i>Pfitzer Juniper</i>                |
| <i>Actinidia arguta</i>              | <i>Juniperus communis depressa</i>    |
| <i>Amelanchier</i> , in variety      | <i>Juniperus horizontalis plumosa</i> |
| <i>Arctostaphylos uvaursi</i>        | <i>Juniperus virginiana</i>           |
| <i>Berberis</i> , in variety         | <i>Larix</i> , in variety             |
| <i>Betula</i> , in variety           | <i>Ligustrum</i> , in variety         |
| <i>Calluna</i> , in variety          | <i>Lonicera Japonica halliana</i>     |
| <i>Celastrus orbiculata punctata</i> | <i>Lonicera morrowi</i>               |
| <i>Myrica pensylvanica</i>           | <i>Lonicera tatarica</i> , in variety |
| <i>Picea asperata</i>                | <i>Malus</i> , in variety             |
| <i>Picea engelmanni</i>              | <i>Pinus nigra</i>                    |
| <i>Picea glauca</i>                  | <i>Pinus resinosa</i>                 |
| <i>Picea Jezoensis</i>               | <i>Populus</i> , in variety           |
| <i>Picea pungens</i>                 | <i>Prunus</i> , in variety            |
| <i>Picea pungens glauca</i>          | <i>Rhamnus</i> , in variety           |
| <i>Picea pungens</i> HV. Koster      | <i>Rhus</i> , in variety              |
| Blue Spruce                          | <i>Rhododendron laetivirens</i>       |
| <i>Pinus mugo mugus</i>              | <i>Rosa</i> , in variety              |
| <i>Clethra</i> , in variety          | <i>Salix</i> , in variety             |
| <i>Cornus</i> , shrub forms          | <i>Sorbus</i> , in variety            |
| <i>Cotoneaster</i> , in variety      | <i>Spiraea</i> , in variety           |
| <i>Crataegus</i> , in variety        | <i>Taxus cuspidata</i>                |
| <i>Erica carnea</i>                  | <i>Taxus cuspidata nana</i>           |
| <i>Forsythia</i> , in variety        | <i>Ulmus americana</i>                |
| <i>Hydrangea</i> , in variety        | <i>Vaccinium</i> , in variety         |
| <i>Hydrangea petiolaris</i>          | <i>Viburnum</i> , in variety          |
| <i>Ilex glabra</i>                   | <i>Wistaria sinensis</i>              |
|                                      | <i>Wistaria sinensis alba</i>         |

## PLANTS FOR MOIST SOILS

MOST plants will not stand a location that is quite moist a great deal of the time. These varieties, however, do not seem to mind considerable moisture if proper drainage is provided. In many cases it increases their growth and gives them finer foliage.

Care must be used in choosing varieties that will best suit your particular location and we are prepared to help you plan correctly.

|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| <i>Acer rubrum</i>                          | <i>Iris sibirica</i>                        |
| <i>Aronia arbutifolia</i>                   | <i>Iris sibirica alba</i>                   |
| <i>Azalea nudiflora</i>                     | <i>Kalmia angustifolia</i>                  |
| <i>Calopogon pulchellus</i>                 | <i>Leucothoe catesbaei</i>                  |
| <i>Chelone lyoni</i>                        | <i>Mitchella repens</i>                     |
| <i>Cimicifuga americana</i>                 | <i>Nyssa sylvatica</i>                      |
| <i>Clethra alnifolia</i>                    | <i>Quercus palustris</i>                    |
| <i>Cypripedium parviflorum</i><br>pubescens | <i>Salix</i> , in variety                   |
| <i>Epigaea repens</i>                       | <i>Thuja</i> , in variety                   |
| <i>Ferns</i> , in variety                   | <i>Tradescantia virginiana</i>              |
| <i>Ilex glabra</i>                          | <i>Tradescantia virginiana</i> HV.<br>White |
| <i>Ilex verticillata</i>                    | <i>Ulmus americana</i>                      |
| <i>Iris kaempferi</i>                       | <i>Vaccinium</i> , in variety               |
| <i>Iris pseudacorus</i>                     | <i>Viburnum dentatum</i>                    |
|                                             | <i>Viburnum trilobum</i>                    |

## KELSEY'S HORTICULTURAL AND LANDSCAPE SERVICE

Customers of Harlan P. Kelsey, Inc. will find our various branches of service of real value throughout the year. Some special features of this service are described below.

- 1. Renovation of Gardens and Plantations.** Overgrown or run down gardens can often be improved immeasurably by readjustment, pruning, fertilization, the addition of a few plants, etc. Let us help you make your garden more interesting and enjoyable.
- 2. Hedges, Windbreaks and Screens.** The growing of fine material for evergreen and deciduous hedges, windbreaks and screens is a specialty at Kelsey-Highlands Nursery. For protection from harsh winds, for masking unsightly views and to insure privacy the larger screens are often invaluable. Lower hedges and borders are pleasing essentials in many garden designs. We will gladly submit recommendations and quotations for individual problems. A far wider list is available for these uses than is generally supposed.
- 3. Moving Large Specimen Trees.** Our tree moving equipment is especially designed for safely transplanting large Evergreens or Shade Trees up to 1 foot in diameter. We have handsome specimens of Pine, Hemlock, Spruce, Fir and Shade Trees in wide variety from 10 to 30 feet in height. These are moved with large balls with little disturbances to the root systems, largely eliminating risks.
- 4. Plantings for Birds.** Birds add beauty and song to the gardens, and are of greatest value in curbing insect damage. Every garden should include plants that provide natural bird food and cover. We know what these plants are and will gladly help you plan their proper use. Birds are a constant joy and entertainment in the garden—a bird-feeding station in a corner of your garden dedicated to bird life will be a continuing delight. See Page 35 for Berry Bearing Plants.
- 5. Landscape Service.** Harlan P. Kelsey, Inc. offers a skilled service devoted to the creation of finer landscapes. After a careful study of each individual problem we recommend a development which will fit the particular location so as to combine beauty and convenience with economy of construction and maintenance. Our background of sound designing and horticultural experience assures such results.

We are particularly interested in the small home grounds. Consult us freely whether your problem is large or small. No charge is ordinarily made for a preliminary conference at our office, or on the grounds where most effective results are ordinarily obtained. If, however, considerable time or distance is involved a minimum charge is made to cover costs.

## TERMS AND CONDITIONS OF SALE

**Nomenclature.** "Standardized Plant Names" is authority for names used in this catalog.

**Prices** in this catalog cancel all previous lists and quotations and are subject to change without notice. Retail prices include packing, except for bulky or unusual shaped plants or when special methods are requested; prices are f.o.b. East Boxford, Massachusetts.

**All Orders Are Accepted Subject To** prior sale and to condition of stock at delivery date, under the following terms and conditions:

**Grade.** We supply a standard grade of stock. Unusual specimen material or plants specially selected by customers at the nursery will be charged for according to value, irrespective of the catalog list price.

**We Warrant** all plants to be true to name, full count, up to grade, and in good condition when shipped.

**Rates.** Lots of 5 and 25 of a kind and size will be furnished at the 10 and 100 rates respectively.

**Plant Insurance.** We do not guarantee the life of any plant purchased, as we have no control over after-treatment or weather conditions, and we will not replace stock without charge. On request, we insure stock planted by us for a specified period at a rate covering the estimated hazard. Such insurance however is void unless account is paid in full within 30 days from date of invoice, except when special arrangements are agreed to by us in writing.

**Terms Cash with Order** or satisfactory reference from unknown customers. Established credit accounts are due in 30 days from date of invoice. C.O.D. orders must be accompanied by one-third of the amount. Overdue accounts are subject to interest at 6 per cent.

**Shipping Instructions** should accompany order. State whether by Freight, Express, Parcel Post or Truck, and give exact destination. Otherwise we use our best judgment but assume no responsibility thereby. We deliver by truck all over New England and nearby states at reasonable rates.

All goods are at purchaser's risk after delivery to forwarding companies in good condition. Claims for damage while in transit must be made against the delivery company.

**Claims** for errors must be made in writing within five days after receipt of goods. Any mistake or fault on our part will be gladly rectified. Stock delivered as per order and in good condition is not returnable.



### *Carolina Hemlock—*Tsuga Caroliniana**

For sheer graceful beauty, we do not believe its equal can be found among all the coniferous evergreens. It was introduced to cultivation by Harlan P. Kelsey, and Prof. Sargent of the Arnold Arboretum considered the Carolina Hemlock "the handsomest conifer we can grow in New England." It is unique in habit, with dark, dense tufted foliage on sweeping pendulous branches. Hardier and more adapted to trying city atmospheres than the Canada Hemlock, it also seems to thrive in southern latitudes where the latter becomes thin, yellow and unsightly. For sizes and prices see page 7.

# Standardized Plant Names

Prepared by the Editorial Committee of the  
American Joint Committee on Horticultural  
Nomenclature

HARLAN P. KELSEY, Chairman

WILLIAM A. DAYTON, (U. S. Dep. of Agri.)

is authority for all Scientific and Common Names in  
this Catalog.

This check-list includes more than 90,000 entries  
compiled with the assistance of the United States Department of Agriculture and more than 200 authorities in the fields of agriculture, horticulture, pharmacy, wildlife, lumber, etc.

One simple alphabetical arrangement complete with cross-reference, including 62 special plant lists.

**STANDARDIZED PLANT NAMES, 692 pages**

**PRICE \$10.50 POSTPAID**

*Orders may be sent to*

HARLAN P. KELSEY, Sec.-Treas.


Amer. Joint Comm. on Hort. Nomen.

EAST BOXFORD, MASSACHUSETTS

---

## INDEX

|                            | Page |                         | Page |
|----------------------------|------|-------------------------|------|
| Abies . . . . .            | 3    | Artemesia . . . . .     | 28   |
| Acanthopanax . . . . .     | 11   | Asarum . . . . .        | 28   |
| Acer . . . . .             | 11   | Aster . . . . .         | 28   |
| Actinidia . . . . .        | 26   | Astilbe . . . . .       | 28   |
| Aesculus . . . . .         | 11   | Azalea . . . . .        | 12   |
| Ajuga . . . . .            | 27   | Balloonflower . . . . . | 33   |
| Almond Flowering . . . . . | 22   | Baptisia . . . . .      | 28   |
| Althaea . . . . .          | 27   | Barberry . . . . .      | 13   |
| Alumroot, see Heuchera     |      | Bayberry . . . . .      | 21   |
| Alyssum . . . . .          | 27   | Beadilily . . . . .     | 30   |
| Amelanchier . . . . .      | 11   | Bearberry . . . . .     | 8    |
| Amorpha . . . . .          | 12   | Beautyberry . . . . .   | 14   |
| Ampelopsis . . . . .       | 26   | Beautybush . . . . .    | 18   |
| Andromeda . . . . .        | 8, 9 | Beebalm . . . . .       | 33   |
| Aquilegia . . . . .        | 27   | Beech . . . . .         | 17   |
| Arabis . . . . .           | 27   | Bellflower . . . . .    | 29   |
| Aralia . . . . .           | 12   | Berbehis . . . . .      | 13   |
| Arborvitae . . . . .       | 6    | Bergenia . . . . .      | 28   |
| Arctostaphylos . . . . .   | 8    | Betula . . . . .        | 13   |
| Aristolochia . . . . .     | 26   | Birch . . . . .         | 13   |
| Armeria . . . . .          | 28   | Bittersweet . . . . .   | 26   |
| Aronia . . . . .           | 12   | Bleedingheart . . . . . | 30   |



# INDEX

|                               | Page   |                               | Page  |
|-------------------------------|--------|-------------------------------|-------|
| Bloodroot . . . . .           | 33     | Forsythia . . . . .           | 17    |
| Blueberry . . . . .           | 25     | Fothergilla . . . . .         | 17    |
| Bluets . . . . .              | 31     | Fringetree . . . . .          | 14    |
| Boxelder . . . . .            | 11     | Gaillardia . . . . .          | 31    |
| Broom . . . . .               | 16     | Galax . . . . .               | 9, 31 |
| Buckeye . . . . .             | 11     | Gayfeather . . . . .          | 32    |
| Buckthorn . . . . .           | 22     | Genista . . . . .             | 17    |
| Buddleia . . . . .            | 14     | Globeflower . . . . .         | 34    |
| Bugbane . . . . .             | 30     | Goldentuft . . . . .          | 27    |
| Bugle . . . . .               | 27     | Goldmoss . . . . .            | 33    |
| Bushhoneysuckle . . . . .     | 16     | Goodyera . . . . .            | 32    |
| Butterflybush . . . . .       | 14     | Grape . . . . .               | 27    |
| Buttonbush . . . . .          | 14     | Gypsophila . . . . .          | 31    |
| Callicarpa . . . . .          | 14     | Halesia . . . . .             | 17    |
| Calluna . . . . .             | 8      | Hamamelis . . . . .           | 18    |
| Calopogon . . . . .           | 32     | Harebell . . . . .            | 29    |
| Caltha . . . . .              | 28     | Hawthorn . . . . .            | 16    |
| Campanula . . . . .           | 29     | Heath . . . . .               | 9     |
| Cardinalflower . . . . .      | 32     | Heather . . . . .             | 8     |
| Carpinus . . . . .            | 14     | Hedera . . . . .              | 26    |
| Celastrus . . . . .           | 26     | Helonias . . . . .            | 31    |
| Cephalanthus . . . . .        | 14     | Hemerocallis . . . . .        | 31    |
| Chaenomeles . . . . .         | 14     | Hemlock . . . . .             | 7     |
| Chamaedaphne . . . . .        | 8      | Hepatica . . . . .            | 31    |
| Chelone . . . . .             | 29     | Heuchera . . . . .            | 31    |
| Cherry . . . . .              | 22     | Holly . . . . .               | 18    |
| Chionanthus . . . . .         | 14     | Hollyhock . . . . .           | 27    |
| Chokeberry . . . . .          | 12     | Honeysuckle . . . . .         | 19    |
| Chrysanthemum . . . . .       | 29     | Honeysuckle (vine) . . . . .  | 26    |
| Cimicifuga . . . . .          | 30     | Hornbeam . . . . .            | 14    |
| Cladastis . . . . .           | 14     | Hosta . . . . .               | 31    |
| Clematis . . . . .            | 26     | Houstonia . . . . .           | 31    |
| Clethra . . . . .             | 14     | Hydrangea . . . . .           | 18    |
| Clintonia . . . . .           | 30     | Hydrangea, Climbing . . . . . | 26    |
| Columbine . . . . .           | 27     | Hypericum . . . . .           | 18    |
| Convallaria . . . . .         | 30     | Ilex . . . . .                | 9, 18 |
| Coralberry . . . . .          | 23     | Indigo . . . . .              | 18    |
| Coreopsis . . . . .           | 30     | Indigofera . . . . .          | 18    |
| Corktree . . . . .            | 21     | Inkberry . . . . .            | 9     |
| Cornus . . . . .              | 14     | Iris . . . . .                | 31    |
| Corylus . . . . .             | 15     | Ivy . . . . .                 | 26    |
| Cotoneaster . . . . .         | 15     | Japanese Creeper . . . . .    | 27    |
| Crabapple Flowering . . . . . | 20     | Joepyeweed . . . . .          | 30    |
| Cranberry . . . . .           | 10     | Juniper . . . . .             | 3     |
| Crataegus . . . . .           | 16     | Juniperus . . . . .           | 3     |
| Culversphysic . . . . .       | 33     | Kalmia . . . . .              | 9     |
| Cypripedium . . . . .         | 32     | Kolkwitzia . . . . .          | 18    |
| Cytisus . . . . .             | 16     | Laburnum . . . . .            | 18    |
| Daphne . . . . .              | 8, 16  | Ladyslipper . . . . .         | 32    |
| Daylily . . . . .             | 31     | Lambkill . . . . .            | 9     |
| Dalphinium . . . . .          | 30     | Larch . . . . .               | 18    |
| Deutzia . . . . .             | 16     | Larix . . . . .               | 18    |
| Dicentra . . . . .            | 30     | Larkspur . . . . .            | 31    |
| Diervilla . . . . .           | 16     | Leatherleaf . . . . .         | 8     |
| Dogwood . . . . .             | 14     | Leiophyllum . . . . .         | 9     |
| Doronicum . . . . .           | 30     | Leopardbane . . . . .         | 30    |
| Douglasfir . . . . .          | 6      | Leucothoe . . . . .           | 9, 19 |
| Draba . . . . .               | 30     | Liatris . . . . .             | 32    |
| Dutchman's Pipe . . . . .     | 26     | Ligustrum . . . . .           | 19    |
| Elder . . . . .               | 23     | Lilac . . . . .               | 24    |
| Elm . . . . .                 | 24     | Lilium . . . . .              | 32    |
| Engelmann Creeper . . . . .   | 27     | Lily . . . . .                | 32    |
| Enkianthus . . . . .          | 16     | Lilyofthevalley . . . . .     | 30    |
| Epigaea . . . . .             | 9      | Linden . . . . .              | 24    |
| Erica . . . . .               | 9      | Lionsheart . . . . .          | 33    |
| Erigeron . . . . .            | 30     | Lobelia . . . . .             | 32    |
| Euonymus . . . . .            | 17, 26 | Locust . . . . .              | 22    |
| Eupatorium . . . . .          | 30     | Lonicera . . . . .            | 19    |
| Fagus . . . . .               | 17     | Lonicera (vine) . . . . .     | 20    |
| Ferns . . . . .               | 30     | Lupin . . . . .               | 32    |
| Filbert . . . . .             | 15     | Lupinus . . . . .             | 32    |
| Filipendula . . . . .         | 31     | Lysimachia . . . . .          | 32    |
| Fir . . . . .                 | 3      | Magnolia . . . . .            | 19    |
| Floweringquince . . . . .     | 15     | Mahoberberis . . . . .        | 19    |
| Fleabane . . . . .            | 30     | Malus . . . . .               | 20    |

# INDEX

| Page                                | Page   |
|-------------------------------------|--------|
| Maple . . . . .                     | 11     |
| Marshmarigold . . . . .             | 28     |
| Mayflower . . . . .                 | 8      |
| Meadowsweet . . . . .               | 31     |
| Mitchella . . . . .                 | 9      |
| Mockorange . . . . .                | 21     |
| Monarda . . . . .                   | 32     |
| Moneywort . . . . .                 | 32     |
| Monkshood-vine . . . . .            | 26     |
| Morus . . . . .                     | 21     |
| Mountainash . . . . .               | 23     |
| Mountain Cranberry . . . . .        | 10     |
| Mountainlaurel . . . . .            | 9      |
| Mulberry . . . . .                  | 21     |
| Myrica . . . . .                    | 21     |
| Nyssa . . . . .                     | 21     |
| Oak . . . . .                       | 22     |
| Oconeebells . . . . .               | 10, 33 |
| Oenothera . . . . .                 | 32     |
| Orchid . . . . .                    | 32, 45 |
| Orchis . . . . .                    | 32     |
| Oxydendrum . . . . .                | 21     |
| Pachistima . . . . .                | 9      |
| Pachysandra . . . . .               | 9      |
| Pagodatree . . . . .                | 23     |
| Parthenocissus . . . . .            | 27     |
| Partridgeberry . . . . .            | 9      |
| Periwinkle . . . . .                | 10     |
| Phelodendron . . . . .              | 21     |
| Philadelphus . . . . .              | 21     |
| Phlox . . . . .                     | 32     |
| Photinia . . . . .                  | 21     |
| Physostegia . . . . .               | 33     |
| Picea . . . . .                     | 4      |
| Pieris . . . . .                    | 9      |
| Pine . . . . .                      | 5      |
| Pink . . . . .                      | 30     |
| Pinus . . . . .                     | 5      |
| Plantainlily . . . . .              | 31     |
| Platycodon . . . . .                | 33     |
| Plum . . . . .                      | 22     |
| Poplar . . . . .                    | 21     |
| Populus . . . . .                   | 21     |
| Privet . . . . .                    | 19     |
| Pseudotsuga . . . . .               | 6      |
| Prunus . . . . .                    | 22     |
| Quercus . . . . .                   | 22     |
| Quince, see Floweringquince         |        |
| Rattlesnakeplaintain . . . . .      | 32     |
| Redcedar . . . . .                  | 3      |
| Rhamnus . . . . .                   | 22     |
| Rhododendron . . . . .              | 9      |
| Rhus . . . . .                      | 22     |
| Robinia . . . . .                   | 22     |
| Rockcress . . . . .                 | 27     |
| Rosa . . . . .                      | 22     |
| Rose . . . . .                      | 22     |
| Rose, Climbing . . . . .            | 27     |
| Sagebrush . . . . .                 | 29     |
| Salix . . . . .                     | 23     |
| Sambucus . . . . .                  | 23     |
| Sandmyrtle . . . . .                | 9      |
| Sanguinaria . . . . .               | 33     |
| Saxifraga (see Bergenia) . . . . .  | 28     |
| Sedum . . . . .                     | 33     |
| Serviceberry . . . . .              | 11     |
| Shortia . . . . .                   | 10, 33 |
| Silverbell . . . . .                | 17     |
| Snakeroot, see Eupatorium . . . . . | 31     |
| Snowberry . . . . .                 | 23     |
| Sorbus . . . . .                    | 23     |
| Sourwood . . . . .                  | 21     |
| Speedwell . . . . .                 | 33     |
| Spiderwort . . . . .                | 33     |
| Spiraea . . . . .                   | 23     |
| Spruce . . . . .                    | 4      |
| St. Johnswort . . . . .             | 18     |
| Stonecrop . . . . .                 | 33     |
| Sumac . . . . .                     | 22     |
| Sundrops . . . . .                  | 32     |
| Swamp-pink . . . . .                | 31     |
| Sweetbells . . . . .                | 19     |
| Sweetgale . . . . .                 | 21     |
| Syphoricarpos . . . . .             | 23     |
| Syringa . . . . .                   | 24     |
| Taxus . . . . .                     | 6      |
| Thermopsis . . . . .                | 33     |
| Thorn, see Hawthorn . . . . .       |        |
| Thrift . . . . .                    | 28     |
| Thuja . . . . .                     | 6      |
| Thyme . . . . .                     | 33     |
| Thymus . . . . .                    | 33     |
| Tilia . . . . .                     | 24     |
| Tradescantia . . . . .              | 33     |
| Trailing-arbutus . . . . .          | 9      |
| Trillium . . . . .                  | 33     |
| Trollius . . . . .                  | 33     |
| Tsuga . . . . .                     | 7      |
| Tupelo . . . . .                    | 21     |
| Turtlehead . . . . .                | 21     |
| Ulmus . . . . .                     | 24     |
| Vaccinium . . . . .                 | 10, 25 |
| Veronica . . . . .                  | 33     |
| Veronicastrum . . . . .             | 33     |
| Viburnum . . . . .                  | 23     |
| Vinca . . . . .                     | 10     |
| Viola . . . . .                     | 33     |
| Violet . . . . .                    | 33     |
| Virginia Creeper . . . . .          | 27     |
| Virginsbower . . . . .              | 26     |
| Vitis . . . . .                     | 27     |
| Weigela . . . . .                   | 25     |
| Wildginger . . . . .                | 28     |
| Wildindigo . . . . .                | 28     |
| Wistaria . . . . .                  | 27     |
| Witchhazel . . . . .                | 18     |
| Woadwoxen . . . . .                 | 17     |
| Wormwood . . . . .                  | 28     |
| Yew . . . . .                       | 6      |
| Yellowroot . . . . .                | 25     |
| Yellowwodd . . . . .                | 14     |
| Yucca . . . . .                     | 33     |
| Xanthorhiza . . . . .               | 25     |

Copyright 1943 by Harlan P. Kelsey, Inc.

## NOTES

